



Hubercarb® W3N

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 GHS (Globally Harmonized System)

Issue Date 17/May/2024 Print Date 10/Jun/2024 Revision Number 1.3.1 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

- Product Name: Hubercarb® W3N
- Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

- **Recommended Use** Filler. Functional additive.
- Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company:	Huber Carbonates, LLC
	3100 Cumberland Boulevard, Suite 600
	Atlanta, GA 30339 USA

Tel: +1 678 247-7300

Internet www.hubermaterials.com

Contact E-Mail hubermaterials@huber.com

1.4. Emergency telephone CHEMTREC: +1 800 424 9300 or International +1 703 527 3887 number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) <0.1% crystalline silica
Physical Hazards	Not classified
Health Hazards	Not classified

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024	Revision Number 1.3.1 Page 2 of 11
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None
Hazard Statements	None
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF exposed or concerned: Get medical advice/attention
Storage	Store away from incompatible materials
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	None.

Hazards not otherwise classified None known. (HNOC)

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Substance

Chemical Name	CAS Number	Weight-%
Calcium Carbonate	471-34-1	100

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024 Revision Number 1.3.1 Page 3 of 11

Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024	Revision Number 1.3.1 Page 4 of 11
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe Minimize dust generation and accumulation. Provide local exhaust ventilation. handling

7.2. Conditions for safe storage, Store away from incompatible materials. Keep container tightly closed and dry. **including any incompatibilities**

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Calcium Carbonate

OSHA	10 mg/m³
OSHA - Final PELs -TWA	5 mg/m³
ACGIH	15 mg/m ³ 3 mg/m ³ Resirable 10 mg/m ³ Total Dust
PNEC (Predicted No Effect Concentration)	No information available
DNEL (Derived No Effect Level)	No information available
Biological Limit Values	None
8.2. Exposure controls	

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024	Revision Number 1.3.1 Page 5 of 11
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Provide a good standard of controlled ventilation (10 to 15 air changes per hour).
Personal protective equipment	
Eye/Face Protection Skin and Body Protection Hand Protection Respiratory Protection Thermal hazards	Wear safety glasses with side shields (or goggles). Wear suitable protective clothing. For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. In case of insufficient ventilation, wear suitable respiratory equipment. None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.0 - 10.2 5% Water suspension
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	2.7 g/cm3 @ 20°C
Water Solubility	0.01 g/l (Practically insoluble) @ 20°C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	1292 - 1652 °F (700 - 900 °C)
Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024 Revision Number 1.3.1 Page 6 of 11

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	None known
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
11.1. Information on toxicologica	al effects
Calcium Carbonate Oral LD50	6450 mg/kg (rat)
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Contact with eyes may cause irritation
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Based on available data, the classification criteria are not met.

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024	Revision Number 1.3.1 Page 7 of 11			
Germ cell mutagenicity	Based on available data, the classification criteria are not met.			
Reproductive Toxicity	Based on available data, the classification criteria are not met.			
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.			
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.			
Information on Likely Routes of	Exposure			
Inhalation	Avoid inhalation of the product			
Ingestion	Ingestion is not a likely route of exposure			
Skin	Avoid prolonged or repeated contact with skin			
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation			
Aspiration hazard	Not an expected route of exposure.			
Symptoms related to the physical, chemical and toxicological characteristics	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.			

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors **properties**

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Calcium Carbonate WGK Classification (AwSV) 317 WGK: nwg

- **12.2. Persistence and** Not readily biodegradable.
- degradability
- 12.3. Bioaccumulative potential None.

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024	Revision Number 1.3.1 Page 8 of 11
Partition coefficient	Not applicable
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Calcium Carbonate WGK Classification (AwSV)	317 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024 Revision Number 1.3.1 Page 9 of 11

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable **user**

14.7. Maritime transport in bulk according to IMO instruments Not applicable

Substance

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Calcium Carbonate	471-34-1	207-439-9	Exempt	Y	Y	Y	(1)-122(EN CS)(ISHL)	KE-04487	Y	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

US Federal Regulations

<u>EPA</u>

CERCLA Not regulated

CWA (Clean Water Act) Not listed

CAA (Clean Air Act) Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Calcium Carbonate	471-34-1	N	N	N	N	N

Y: Listed ; N: Not Listed

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) This product does not contain any Proposition 65 chemicals

Safety Data Sheet

Hubercarb® W3N

Issue Date 17/May/2024 Print Date 10/Jun/2024 Revision Number 1.3.1 Page 10 of 11

CANADA WHMIS

Crystalline silica is not present in this product at levels above 0.1%

SECTION 16: Other information				
Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com			
Issue Date Print Date	17/May/2024 10/Jun/2024			
Revision Number	1.3.1			
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).			
Training Advice	Do not handle until all safety precautions have been read and understood.			
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) COD (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (A			
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text			

Safety Data Sheet

Hubercarb® W3N

Issue Date17/May/2024Print Date10/Jun/2024

Revision Number 1.3.1 Page 11 of 11

End of Safety Data Sheet