



HUBER ENGINEERED MATERIALS

Safety Data Sheet

HYMOD® M9400 SP

This material safety datasheet has been prepared according to Brazilian legislation and ABNT NBR 14725:2014 Globally Harmonized System (GHS)

Issue Date: 09/May/2019
Print Date: 09/May/2019

Revision Number: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HYMOD® M9400 SP

Chemical Name Mixture

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% >99

Proprietary Surface Treatment

CAS Number Proprietary

Weight-% <1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

Safety Data Sheet

HYMOD® M9400 SP

Issue Date: 09/May/2019
 Print Date: 09/May/2019

Revision Number: 1.3
 Page 2 of 11

Brazil Ministry of Transport This product is not part of the Hazardous Products Classification established by the Brazilian Federal Department of Transportation's Administrative Ruling 204 from 5/20/1997.

2.1. Classification of the substance or mixture

Physical Hazards	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Symbols/Pictograms	None.
Signal Word	None.
Hazard Statements	None

Precautionary Statements

Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood. Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Store away from incompatible materials Keep in a dry place
Disposal	Dispose of contents/containers in accordance with local regulations

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	REACH registration number	GHS Classification	Weight-%
Aluminum Hydroxide	21645-51-2	Y	01-2119529246-39-00 16	Not classified.	>99
Proprietary Surface Treatment	Proprietary	Y	Registered	Not classified.	<1

SECTION 4: First aid measures**4.1. Description of first aid measures**

General Advice	Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Based on available data, the classification criteria are not met.
4.2. Most important symptoms and effects, both acute and delayed	May cause irritation to mucous membranes and respiratory tract. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

Flammable Properties	None known
5.1. Extinguishing media	
Suitable Extinguishing Media	Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).
Unsuitable Extinguishing Media	None known.
5.2. Special hazards arising from the substance or mixture	None known.
Dust Explosion Hazard	None known
Hazardous Combustion Products	None known

Issue Date: 09/May/2019
Print Date: 09/May/2019

Revision Number: 1.3
Page 4 of 11

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away
Ensure adequate ventilation
Avoid dust formation
Use personal protection recommended in Section 8

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away
Use personal protection recommended in Section 8

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust
Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Do not breathe dust
Ensure adequate ventilation
Wear appropriate personal protective clothing to prevent skin contact
Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Issue Date: 09/May/2019

Print Date: 09/May/2019

Revision Number: 1.3

Page 5 of 11

Aluminum Hydroxide - 21645-51-2

OSHA	TWA: 15 mg/m ³ Total Dust 5 mg/m ³ Respirable Dust
NIOSH	TWA: 5 mg/m ³ (respirable dust); 10 mg/m ³ TWA (total dust)
ACGIH	TLV/TWA 8-hr: 1 mg/m ³ (respirable fraction)
Mexico	No se ha establecido

Predicted No Effect Concentration (PNEC) No information available

Biological Limit Values: No information available

8.2. Exposure controls**Engineering Measures**

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.

Thermal hazards None known. Wear suitable protective clothing.

Hygiene Measures No information available.

Environmental Exposure Controls Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Solid.
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 - 10.2 (5% water suspension)

Issue Date: 09/May/2019

Print Date: 09/May/2019

Revision Number: 1.3

Page 6 of 11

Melting point / Freezing point	Not available
Melting Point / Melting Range	Decomposition occurs prior to melting.
Initial boiling point	Not available
Boiling Point	Decomposition occurs prior to boiling.
Flash Point:	Non-combustible
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	2.4 g/cm ³ , 20°C
Water Solubility	Insoluble
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	200° C
Viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
VOC Content (%)	Not applicable

9.2. Other information**SECTION 10: Stability and reactivity**

10.1. Reactivity	Stable under normal conditions.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No specific hazard known.
10.4. Conditions to avoid	Incompatible materials. Dust formation.
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known.

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust. Inhalation of dust may cause irritation of the respiratory system.
Skin	Contact with dust can cause mechanical irritation or drying of the skin.
Eyes	Avoid contact with eyes. Dust contact with the eyes can lead to mechanical irritation.
Ingestion	Ingestion is not a likely route of exposure.
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Signs and symptoms may include coughing, gasping, choking and difficulty breathing. Contact with eyes may cause irritation.

11.1. Information on toxicological effects

Aluminum Hydroxide - 21645-51-2

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Not classified.
Chronic Effects	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes.
Respiratory Sensitization	No data available.
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation.
Skin Sensitization	Based on available data, the classification criteria are not met.
Mutagenicity	No data available.
Germ cell mutagenicity	No data available.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Not listed.

Issue Date: 09/May/2019
Print Date: 09/May/2019

Revision Number: 1.3
Page 8 of 11

Specific target organ toxicity - Single exposure No data available.

Specific target organ toxicity - Repeated exposure No data available.

Mixture versus substance information No information available.

SECTION 12: Ecological information

12.1. Ecotoxicity Not considered to be harmful to aquatic life. Avoid release to the environment.

Aluminum Hydroxide - 21645-51-2
WGK Classification (VwVwS)
5220 WKG: nwg

12.2. Persistence and degradability Not biodegradable.

12.3. Bioaccumulative potential This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

Partition coefficient Not applicable.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Disposal Methods Dispose of waste product or used containers according to local regulations

Issue Date: 09/May/2019
Print Date: 09/May/2019

Revision Number: 1.3
Page 9 of 11

Aluminum Hydroxide - 21645-51-2
European Waste Catalog 060299

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

ADR Not regulated
RID Not regulated
ADN Not regulated
IATA Not regulated
IMDG/IMO Not regulated
ICAO Not regulated

14.1. UN number None
14.2. UN proper shipping name None
14.3. Transport hazard class(es) None
14.4. Packing group None
14.5. Environmental hazards No
14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39-0 016	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	Y
Proprietary Surface	Proprietary	*	Registered	Y	Y	Y	Y	Y	Y	-	Y	Y	Y

Treatment														
-----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Legend

X / Y: Complies - / N: Not Listed Exempt

Information on risks and safety as written on the label


Health - Blue

Flammability - Red

Physical Hazard - Yellow

Special - White

Diamante de Hommel



- 4- Extreme
- 3- High
- 2- Moderate
- 1- Low
- 0- Minimum

SECTION 16: Other information

Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs
 regulatory.affairs@huber.com

Reason for Version

Brasil: ABNT NRB 14725-4: 2014.

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

International Agency for Research on Cancer (IARC)
 International Air Transport Association (IATA)
 International Maritime Dangerous Goods (IMDG)
 International Uniform Chemical Information Database (IUCLID)
 Workplace Hazardous Materials Information System (WHMIS) status and classification
 EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
 DOT (Department of Transportation)
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 TWA - Time-Weighted Average
 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)
 The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
 PPE - Personal Protection Equipment
 NIOSH - National Institute for Occupational Safety and Health
 TDG (Transport of Dangerous Goods) Canada
 CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

HUBER

Safety Data Sheet
HYMOD® M9400 SP

Issue Date: 09/May/2019

Print Date: 09/May/2019

Revision Number: 1.3

Page 11 of 11

Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet