



Kemgard® 911B

**Japan-JIS Z 7253:2019
Occupational Safety and Health Act
GHS (Globally Harmonized System)**

Issue Date 01/Jan/2024
Print Date 13/Dec/2023

Revision Number 1.5
Page 1 of 10

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Kemgard® 911B

Pure substance/mixture Mixture

Zinc Oxide
CAS Number 1314-13-2
Weight-% >25

Zinc Molybdenum Oxide
CAS Number 22914-58-5
61583-60-6
Weight-% >25

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

Emergency Telephone Number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887
+81 03-3560-7316

2. HAZARD IDENTIFICATION

Japan GHS Classification

Physical Hazards Not classified

Health Hazard Acute toxicity - Inhalation Category 4
Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazards Acute Aquatic Toxicity: Category 1
Chronic Aquatic Toxicity: Category 1

GHS label elements
Symbols/Pictograms

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 2 of 10

**Signal Word**

Warning

Hazard statements

H332 - Harmful if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements**Prevention**

P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment

Response

P317 - Get emergency medical help.
P319 - Get medical help if you feel unwell.
P391 - Collect spillage
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P402 - Store in a dry place

Disposal

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical Name	CAS Number	Japan GHS Classification	Weight-%
Zinc Oxide	1314-13-2	Acute Aquatic Toxicity: Category 1 Chronic Aquatic Toxicity: Category 1	>25
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	Acute Tox. 4, H332 STOT RE 2, H373	>25

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 3 of 10

		Aquatic Acute 1, H400 Aquatic Chronic 2, H411	
--	--	--	--

4. FIRST AID MEASURES

If inhaled:	Remove victim to fresh air and keep at rest in a position comfortable for breathing
IF ON SKIN:	Wash with plenty of soap and water Take off contaminated clothing and wash before reuse
IF IN EYES:	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes Call a physician if irritation develops and persists
If swallowed:	Rinse mouth thoroughly with water
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Water spray (fog) Dry chemical Carbon dioxide (CO ₂) Foam
-------------------------------------	--

Unsuitable Extinguishing Media Do not use water jetstream

Special hazards arising from the substance or mixture Avoid dust formation

Fire-fighting measures In case of fire and/or explosion do not breathe fumes

Special Protective Equipment for Firefighters Wear self-contained breathing apparatus and protective suit

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment and Precautions for Firefighters	Avoid dust formation Ensure adequate ventilation Use personal protection recommended in Section 8 Avoid contact with eyes and skin. Wear suitable personal protection equipment. Keep unauthorized personnel away
--	---

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 4 of 10

Environmental Precautions	Keep out of drains, sewers, ditches and waterways Disposal considerations See section 13 for more information
Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container Minimize use of water during clean-up Recommended filter type: High efficiency particulate air filter (HEPA filter)
Other Information	Not applicable

7. HANDLING AND STORAGE

Handling

Technical measures Provide adequate ventilation as well as local exhaust at critical locations
Ensure adequate ventilation
Use personal protection equipment
See section 8 for more information

Advice on safe handling Minimize dust generation and accumulation

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a cool, well-ventilated place

Hygiene Measures Wash hands thoroughly after handling

Storage

Packaging compatibilities Keep/store only in original container

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits Provide adequate ventilation as well as local exhaust at critical locations

Zinc Oxide

Japan

TWA: 4 mg/m³ (total dust)
1 mg/m³ (respirable dust)**Zinc Molybdenum Oxide**

Japan

Not established

Engineering Measures Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Respiratory Protection In case of inadequate ventilation wear respiratory protection

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn

Eye Protection Wear safety glasses with side shields (or goggles)

Skin and Body Protection Wear suitable protective clothing.
Chemical resistant apron.

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 5 of 10

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice
Wash thoroughly after handling
Avoid contact with eyes and skin
Do not breathe dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid, Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
Melting Point / Melting Range	No information available
Boiling Point	No information available
Freezing Point	No information available
Autoignition Temperature	No data available
Evaporation Rate	Not applicable
Flammability (solid, gas)	No data available
Explosive Properties	No data available
Vapor Pressure	No data available
Water Solubility	Slightly soluble
Partition coefficient	No data available
Viscosity	No information available
Specific Gravity	No data available
Oxidizing Properties	No data available
Decomposition Temperature	No information available
Flash Point	Not applicable. Product/Substance is inorganic.
pH:	6.5 5% Water suspension
Initial boiling point	No information available
Flammability (solid, gas)	Non-combustible Not applicable
Vapor Density	No data available
Relative Density	5.1
Solubility in other solvents	No information available
VOC Content (%)	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	None known
Conditions to avoid	Strong oxidizing agents
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	None known

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 6 of 10

11. TOXICOLOGICAL INFORMATION

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	May cause respiratory tract irritation
Skin	No known hazard in contact with skin
Eyes	Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Symptoms related to the physical, chemical and toxicological characteristics	Dust may cause mechanical irritation to eyes.

11.1. Information on toxicological effects

Zinc Oxide

Oral LD50 7950 mg/kg Rat

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Specific target organ toxicity - Repeated exposure Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Acute Toxicity	Low hazard for usual industrial or commercial handling
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Respiratory Sensitization	Does not cause sensitization
Skin Corrosion/Irritation	Contact with dust can cause mechanical irritation or drying of the skin
Skin Sensitization	Not a skin sensitizer
Germ cell mutagenicity	No data available.
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Skin. Eyes. Respiratory system.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 7 of 10

12. ECOLOGICAL INFORMATION

Ecotoxicity	Very toxic to aquatic life with long lasting effects
Persistence and degradability	No data available
Bioaccumulation	No data available.
Mobility in soil	No data available
Hazardous to the ozone layer	No data available

13. DISPOSAL CONSIDERATIONS

Disposal	Dispose of in accordance with federal, state and local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

ADR	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
ADN	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
IATA	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
IMDG/IMO	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
ICAO	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)

14.1. UN number	UN3077
14.2. UN proper shipping name	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
14.3. Transport hazard class(es)	9
Subsidiary Risk	-
14.4. Packing group	III
14.5. Environmental hazards	Marine Pollutant
14.6. Special precautions for user	Do not handle until all safety precautions have been read and understood.

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 8 of 10

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable



Marine Pollutant



15. REGULATORY INFORMATION

Global Inventories

Pure substance/mixture

Mixture

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Zinc Oxide	1314-13-2	215-222-5	01-211946 3881-32	Y	Y	Y	ENCS: (1)-561 ISHL: (1)-561	KE-35565	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	01-212080 0481-68-0 000	N	Y	Y	(1)-781 (ENCS)(ISHL)	KE-11910	N	N	N	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Legend-Inventories

KECL - Korean Existing and Evaluated Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 9 of 10

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

TSCA (Toxic Substances Control Act)

DSL (Domestic Substance List)

NDSL (Non-Domestic Substances List)

Japan - ISHL Notifiable Substances

ENCS - Japan Existing and New Chemical Substances

Zinc Molybdenum Oxide

Japanese Pollutant Release and Transfer Register - Class 1 Substance :453 >= 1.0%

16. OTHER INFORMATION

Prepared by

Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com

Reason for Revision

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan)

Bibliography

NITE GHS Classified list

Japan Society for occupational health (2015) recommendation of allowable concentrations, etc.

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database)

WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration)

GHS (Globally Harmonized System)

TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

HUBER

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 10 of 10

End of Safety Data Sheet