



Kemgard® 605

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 01/Jan/2024

Print Date 12/Jan/2024

Revision Number 1.2.1

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Kemgard® 605

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008)

Hazards identification

Physical Hazard Not classified

Health Hazards Not classified

Environmental Hazard Chronic Aquatic Toxicity, Category 3

Safety Data Sheet

Kemgard® 605

Issue Date 01/Jan/2024

Print Date 12/Jan/2024

Revision Number 1.2.1

Page 2 of 11

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention	P273 - Avoid release to the environment Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixture Mixture

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	Not classified.	> 75
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411.	< 25

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Safety Data Sheet

Kemgard® 605**Issue Date** 01/Jan/2024**Print Date** 12/Jan/2024**Revision Number** 1.2.1**Page** 3 of 11

Skin Contact	Wash with plenty of soap and water.
Inhalation	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Non-combustible.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions,

Keep unauthorized personnel away. Avoid dust formation. Ensure adequate

Safety Data Sheet

Kemgard® 605

Issue Date 01/Jan/2024

Print Date 12/Jan/2024

Revision Number 1.2.1

Page 4 of 11

protective equipment and emergency procedures

ventilation. Use personal protection recommended in Section 8.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Ensure adequate ventilation
Handle in accordance with good industrial hygiene and safety practice
Use personal protective equipment as required

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry
Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters**Occupational exposure limits****Aluminum Hydroxide**ACGIH
OSHA

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)
TWA: 15 mg/m³ (Total Dust)
5 mg/m³ (Respirable Dust)
TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)
Not established (Non établi)
Not established (Non établi)
2.5 mg/m³ (inhalable); 1.2 mg/m³ (respirable)
TWA: 3 mg/m³
10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

Zinc Molybdenum Oxide

ACGIH

OSHA

NIOSH

TWA: 10 mg/m³ dust
0.5 mg/m³ Respirable fraction
TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)
PEL: 5 mg/m³ (respirable)
TWA 8-hr: 10 mg/m³

Safety Data Sheet

Kemgard® 605**Issue Date** 01/Jan/2024**Print Date** 12/Jan/2024**Revision Number** 1.2.1**Page** 5 of 11

Bulgaria	TWA: 10 mg/m ³
Czech Republic	Ceiling: 25 mg/m ³
	TWA: 5 mg/m ³
Estonia	TWA: 5 mg/m ³ (respirable dust)
	10 mg/m ³ (total dust)
Estonia	STEL: 0.5 mg/m ³
Finland	TWA: 0,5 mg/m ³
France	VLE: 10 mg/m ³
	VME: 5 mg/m ³
Germany	DFG MAK: TWA: 2 mg/m ³ (inhalable fraction)
	0,1 mg/m ³ (respirable fraction)
Poland	STEL: 10 mg/m ³
	TWA: 4 mg/m ³
Poland	STEL 10 mg/m ³
Slovakia	TWA 2 mg/m ³ Inhalable fraction
	0,1 mg/m ³ Respirable fraction
Slovenia	TWA: 5 mg/m ³ (inhalable fraction)
Spain	STEL 10 mg/m ³ Respirable fraction

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values None

DNEL (Derived No Effect Level) No data available

PNEC (Predicted No Effect Concentration) No data available

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace practices

Environmental Exposure Controls Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance:**

Physical State	Solid Powder
Color	White to off-white
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 (5% water suspension)
Melting Point / Melting Range	Not applicable
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Non-combustible
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Vapor Density	Not applicable
Density	2.5 – 2.7 g/cm ³ , 20°C
Relative Density	2.6 g/cm ³ , 20° C
Water Solubility	11.7 mg/l , 25° C
Solubility in other solvents	No data available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	No data available
Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity**10.1. Reactivity** Stable under normal conditions**10.2. Chemical stability** Stable under normal conditions

Safety Data Sheet

Kemgard® 605**Issue Date** 01/Jan/2024**Print Date** 12/Jan/2024**Revision Number** 1.2.1**Page** 7 of 11

10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Zinc Molybdenum Oxide

Oral LD50	>10000 mg/kg Rat
IARC	Not Listed
Target Organ Effects	Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day)

Acute Toxicity	No data available
Respiratory Sensitization	Inhalation of dust in high concentration may cause irritation of respiratory system.
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Not a skin sensitizer
Mutagenicity	No data available
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Skin. Eyes. Respiratory system.
Specific target organ toxicity -	No data available.

Safety Data Sheet

Kemgard® 605**Issue Date** 01/Jan/2024**Print Date** 12/Jan/2024**Revision Number** 1.2.1**Page** 8 of 11**Single exposure**

Specific target organ toxicity - Repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Mixture versus substance information Mixture

Information on Likely Routes of Exposure

Inhalation	Inhalation of dust may cause irritation of the respiratory system
Ingestion	Ingestion is not a likely route of exposure
Skin	Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and degradability No data available.

12.3. Bioaccumulative potential No data available.

Partition coefficient Not applicable

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment No data available.

Safety Data Sheet

Kemgard® 605

Issue Date 01/Jan/2024

Print Date 12/Jan/2024

Revision Number 1.2.1

Page 9 of 11

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes

Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide**European Waste Catalog**

060299

WGK Classification (AwSV)

5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)**TDG -Canada**

Not regulated

DOT

Not regulated

IATA

Not regulated

IMDG/IMO

Not regulated

ICAO

Not regulated

14.1. UN number

None

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

Subsidiary Risk

-

14.4. Packing group

None

14.5. Environmental hazards

No

14.6. Special precautions for

Not applicable

Safety Data Sheet

Kemgard® 605

Issue Date 01/Jan/2024

Print Date 12/Jan/2024

Revision Number 1.2.1

Page 10 of 11

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Global Inventories****Pure substance/mixture**

Mixture

Chemical Name	CAS Number	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	55-1-02594	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	N	Y: DSL-22914-58-5 NDSL: 61583-60-6	Y	(1)-781 (ENCS)(ISHL)	KE-11910	Y: (MO-gene rics)	Y	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.**Aluminum Hydroxide**

EU REACH registration number 01-2119529246-39

Turkish KKDIK pre-registration 05-0000193352-73-0000

Zinc Molybdenum Oxide

EU REACH registration number 01-2120800481-68-0000

Germany

Harmful to aquatic life with long lasting effects

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date

01/Jan/2024

Safety Data Sheet

Kemgard® 605**Issue Date** 01/Jan/2024**Print Date** 12/Jan/2024**Revision Number** 1.2.1**Page 11 of 11****Print Date** 12/Jan/2024**Revision Number** 1.2.1**Prepared by** Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.**(CLP) Regulation (EC 1272/2008)****Labeling**

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	H412 - Harmful to aquatic life with long lasting effects.

Training Advice Do not handle until all safety precautions have been read and understood.**Abbreviations and acronyms**

IARC (International Agency for Research on Cancer)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet