



Safety Data Sheet

FIRE RETARDANT ADDITIVES

Martoxid® MDS; Martoxid® MDS-6; Martoxid® MPS; Martoxid® MPS-1; Martoxid® MPS-2; Martoxid® MDLS-6

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2015/830

Issue Date: 19/Jul/2018
Print Date: 19/Jul/2018

Revision Number: 1.3
Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® MDS; Martoxid® MDS-6; Martoxid® MPS; Martoxid® MPS-1; Martoxid® MPS-2; Martoxid® MDLS-6

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	REACH registration number	(CLP) Regulation (EC 1272/2008)	TSCA: United States	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35-xxxx 01-2119529248-35-0017	Not classified	Y	>99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.

Industrial use

- Production substance
- Polymer processing
- Production of plastics and rubber compounds
- Formulation flame retardant preparation
- Compounds used in transport industry
- Compounds used in electrical application
- Compounds used in electronic application
- Compounds used in Wire & Cable
- Abrasive for glass industry, ceramics and stones
- Textile coating
- Production of corrosion inhibitors
- Fuels
- Deacidification agent for paper
- pH Regulating agent
- Use in coatings, inks, paints and roofing
- Use as corrosion inhibitor of gas turbines and boilers
- Use in cleaning agents
- Use in oil field operations
- Use in lubricants
- Use in metal working fluids
- Use in blowing agents
- Use in binders and release agents
- Use in textile
- Use in functional fluids
- Use in agrochemicals

Use in water treatment chemicals
 Use in mining chemicals
 Recycling plastics
 White pigment for paper and board, filler, etc.

Professional use

Polymer processing
 Use in Adhesives and/or sealants
 Use in coatings, inks, paints and roofing
 Use in agrochemicals
 Use in cleaning agents
 Use in oil field operations
 Use in lubricants
 Use in metal working fluids
 Use in binders and release agents
 Use in propellants
 Use in textile
 Use in explosives
 Use in water treatment chemicals
 Use in functional fluids
 For use by laboratories for research
 Fuels
 De-icing & anti-icing applications
 Road and construction applications

Consumer use

Use in coatings, inks, paints and roofing
 Use in cleaning agents
 Use in lubricants
 Use in propellants
 Fuels
 Use in functional fluids
 De-icing & anti-icing applications
 Cosmetic additive
 Use in water treatment chemicals

1.3. Details of the supplier of the safety data sheet

Company: MARTINSWERK GmbH
 Kölner Strasse 110
 50127 Bergheim
 Germany
 Tel. : +49-2271-90.22.78
 Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified

Hazards identification

Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Precautionary Statements

Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious)
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information: None.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances Substance

Chemical Name	CAS Number	EC No	REACH	(CLP)	Annex	TSCA: United	Weight-%
---------------	------------	-------	-------	-------	-------	--------------	----------

HUBER

Safety Data Sheet

Martoxid® MDS; Martoxid® MDS-6; Martoxid® MPS; Martoxid® MPS-1; Martoxid® MPS-2; Martoxid® MDLS-6

Issue Date: 19/Jul/2018

Revision Number: 1.3

Print Date: 19/Jul/2018

Page 4 of 13

			registration number	Regulation (EC 1272/2008)		States	
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35-xxxx 01-2119529248-35-0017	Not classified	-	Y	>99

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

Aspiration hazard Not an expected route of exposure.

Notes to Physician Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities Store away from incompatible materials
Keep container tightly closed and dry

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum oxide

HUBER

Safety Data Sheet

Martoxid® MDS; Martoxid® MDS-6; Martoxid® MPS; Martoxid® MPS-1; Martoxid® MPS-2; Martoxid® MDLS-6

Issue Date: 19/Jul/2018

Revision Number: 1.3

Print Date: 19/Jul/2018

Page 6 of 13

ACGIH	TWA: 10 mg/m ³
OSHA	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction
NIOSH	Not established
Austria	TWA: 5 mg/m ³ respirable fraction, smoke
Austria	STEL: 10 mg/m ³ respirable fraction, smoke
Belgium	TWA: 1 mg/m ³
Bulgaria	TWA: 1.5MGM3;Respirable fraction. 10.0MGM3;Dust.
Croatia	TWA: 10 mg/m ³ total dust 4 mg/m ³ respirable dust
Czech Republic	TWA: 10.0 mg/m ³ dust
Denmark	TWA: 5 mg/m ³ total 2 mg/m ³ respirable
Estonia	TWA: 10 mg/m ³ total dust 4 mg/m ³ respirable dust
Finland	TWA: 2 mg/m ³ Al
France	VME/VLE: 10MGM3
Germany	DFG MAK: 8-hr TWA: 4 mg/m ³ : haltige Stäube (alveolengängige Fraktion)[4 mg/m ³ : inhalable dust fraction] 1.5 mg/m ³ haltige Stäube (einatembare Fraktion)[1.5MGM3 : respirable dust fraction] TRGS 900 limit : 3 mg/m ³ : respirable; 10MG/M3 inhalable
Greece	TWA: 10 mg/m ³ inhalable fraction 5 mg/m ³ respirable fraction
Hungary	TWA: 6 mg/m ³ respirable dust
Ireland	TWA: 10 mg/m ³ total inhalable dust 4 mg/m ³ respirable dust
Ireland	30 mg/m ³ total inhalable dust 12 mg/m ³ respirable dust
Italy	TWA: 1MGM3;Respirable.
Latvia	TWA: 6 mg/m ³ disintegration aerosol
Lithuania	TWA: 5 mg/m ³ Al inhalable fraction 2 mg/m ³ Al respirable fraction
Netherlands	MAC TWA: 10 mg/m ³
Norway	TWA: 10 mg/m ³
Norway	STEL: 10 mg/m ³
Poland	TWA: 2.5 mg/m ³ inhalable fraction 1.2 mg/m ³ respirable fraction
Portugal	TWA: 10 mg/m ³ particulate matter containing no Asbestos and <1% Crystalline silica
Romania	TWA: 2 mg/m ³ aerosol 3 mg/m ³ 1 mg/m ³
Romania	STEL: 5 mg/m ³ aerosol 10 mg/m ³ dust 3 mg/m ³ fume
Slovakia	TWA: 1.5 mg/m ³ fume 1.5 mg/m ³ 0.1 mg/m ³ respirable fraction 6 mg/m ³ total aerosol
Spain	TWA: 10 mg/m ³
Sweden	TWA: 5 mg/m ³ total dust 2 mg/m ³ respirable dust
Switzerland	TWA: 3 mg/m ³ respirable dust, smoke
Switzerland	STEL: 24 mg/m ³ respirable dust, smoke
United Kingdom	TWA: 10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values: None

Derived No Effect Level (DNEL)

Aluminum oxide

Worker - inhalative, long-term - systemic	3 mg/m ³
Consumer - oral, long-term - systemic	6.22 mg/kg bw/d

Predicted No Effect Concentration (PNEC)

Aluminum oxide

Sewage treatment plant	20 mg/l
------------------------	---------

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
 Ensure adequate ventilation, especially in confined areas
 Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
 Use exhaust ventilation to keep airborne concentrations below exposure limits
 In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
 Recommended filter type:
 (FFP2)
 (FFP3)

Thermal hazards

None known.

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices
 The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc

Environmental Exposure Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Evaporation Rate	Not applicable. Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	4 g/cm ³ (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	No information available
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials. Decomposition Temperature. ~ 2000 °C (> 2050°C). < / =0.3%. ∴ Al ₂ O ₃ . ∴ Water.
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition	None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	in vitro in vivo Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	No information available
Specific target organ toxicity - Repeated exposure	Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw

Acute Toxicity Based on available data, the classification criteria are not met

Chronic Toxicity Based on available data, the classification criteria are not met.

Chronic Effects Based on available data, the classification criteria are not met.

Respiratory Sensitization Based on available data, the classification criteria are not met

Serious eye damage/eye irritation Based on available data, the classification criteria are not met

Skin Corrosion/Irritation Based on available data, the classification criteria are not met

Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Not classified.
Specific target organ toxicity - Repeated exposure	Not classified.

SECTION 12: Ecological information

12.1. Ecotoxicity Very low solubility. Not considered to be harmful to aquatic life.

Aluminum oxide

WGK Classification (VwVwS) 1346. WGK: nwg

12.2. Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

HUBER

Safety Data Sheet

Martoxid® MDS; Martoxid® MDS-6; Martoxid® MPS; Martoxid® MPS-1; Martoxid® MPS-2; Martoxid® MDLS-6

Issue Date: 19/Jul/2018

Revision Number: 1.3

Print Date: 19/Jul/2018

Page 11 of 13

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Aluminum oxide

WGK Classification (VwVwS) 1346. WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	REACH registrati	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United
---------------	------------	-------	------------------	------------------	--------------	---------------	-------	-----------------	--------	-------------	---------------------	--------	--------------

HUBER

Safety Data Sheet

Martoxid® MDS; Martoxid® MDS-6; Martoxid® MPS; Martoxid® MPS-1; Martoxid® MPS-2; Martoxid® MDLS-6

Issue Date: 19/Jul/2018

Revision Number: 1.3

Print Date: 19/Jul/2018

Page 12 of 13

			on number										States
Aluminum oxide	1344-28-1	215-691-6	01-211952 9248-35-x xxx 01-211952 9248-35-0 017	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Legend X / Y: Complies , - / N: Not Listed , Exempt

National Regulations

Germany

Aluminum oxide

WGK Classification (VwVwS) 1346. WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2015/830

Issue Date: 19/Jul/2018

Print Date: 19/Jul/2018

Revision Number: 1.3

Prepared by Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms International Agency for Research on Cancer (IARC)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
International Uniform Chemical Information Database (IUCLID)
Workplace Hazardous Materials Information System (WHMIS) status and classification
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

HUBER

Safety Data Sheet

Martoxid® MDS; Martoxid® MDS-6; Martoxid® MPS; Martoxid® MPS-1; Martoxid® MPS-2; Martoxid® MDLS-6

Issue Date: 19/Jul/2018

Print Date: 19/Jul/2018

Revision Number: 1.3

Page 13 of 13

TWA - Time-Weighted Average
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
PPE - Personal Protection Equipment
NIOSH - National Institute for Occupational Safety and Health
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet