



Safety Data Sheet

FIRE RETARDANT ADDITIVES

Vertex® 60SV

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
Globally Harmonized System (GHS)

Issue Date: 12/Mar/2021
Print Date: 12/Mar/2021

Revision Number: 1.4.1
Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Vertex® 60SV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Flame retardant
Smoke Suppressant

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet: www.hubermaterials.com

E-mail: hubermaterials@huber.com

1.4. Emergency telephone number: CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards: Not classified

Health Hazards: Not classified

Environmental Hazard: Not classified

2.2. Label elements

Symbols/Pictograms: None

Issue Date: 12/Mar/2021

Print Date: 12/Mar/2021

Revision Number: 1.4.1

Page 2 of 10

Signal Word None**Hazard Statements** None**Precautionary Statements**

Prevention Do not handle until all safety precautions have been read and understood
Employ good industrial hygiene practice
Do not breathe dust
Wear protective gloves/protective clothing/eye protection/face protection

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water

Storage Store away from incompatible materials
Keep in a dry place

Disposal Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified None known.
(HNOC)

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Magnesium Hydroxide Surface Treated	1309-42-8	A	Y	Y	01-211948875 6-18-0040	Not regulated	--	>98

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin Contact Wash with plenty of soap and water.

Issue Date: 12/Mar/2021

Print Date: 12/Mar/2021

Revision Number: 1.4.1

Page 3 of 10

Ingestion	Rinse mouth thoroughly with water.
Inhalation	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	May cause irritation to mucous membranes and respiratory tract. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

Issue Date: 12/Mar/2021

Print Date: 12/Mar/2021

Revision Number: 1.4.1

Page 4 of 10

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Magnesium Hydroxide Surface Treated

OSHA	TWA: 15 mg/m ³ total dust 5 mg/m ³ respirable
ACGIH	TLV-TWA: 8-hr : 10 mg/m ³ (total dust) 3 mg/m ³ (respirable fraction)
NIOSH	TWA 15 mg/m ³ (total dust)
Canada	Not established

Predicted No Effect Concentration (PNEC) No information available

Derived No Effect Level (DNEL) No information available

Biological Limit Values: No information available

8.2. Exposure controls

Engineering Measures Provide a good standard of controlled ventilation (5 to 10 air changes per hour).

Issue Date: 12/Mar/2021

Print Date: 12/Mar/2021

Revision Number: 1.4.1

Page 5 of 10

Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	No information available.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties**Appearance:**

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 - 10.2 5% Water suspension
Melting Point / Melting Range	Not applicable
Initial boiling point and boiling range	Not applicable
Flash Point:	Non-combustible.
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	2.4 g/cm ³ , 20° C
Water Solubility	11.7 mg/l , 25° C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	626 °F (330° C)
VOC Content (%)	Not applicable

SECTION 10: Stability and reactivity

Issue Date: 12/Mar/2021

Print Date: 12/Mar/2021

Revision Number: 1.4.1

Page 6 of 10

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust May cause irritation of respiratory tract
Skin	Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Irritant effects. Coughing. Discomfort in the chest. Shortness of breath.

11.1. Information on toxicological effects

Magnesium Hydroxide Surface Treated

Oral LD50 8500 mg/kg Rat

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met

Issue Date: 12/Mar/2021

Print Date: 12/Mar/2021

Revision Number: 1.4.1

Page 7 of 10

Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Based on available data, the classification criteria are not met
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.
Mixture versus substance information	Mixture

SECTION 12: Ecological information

12.1. Ecotoxicity Not considered to be harmful to aquatic life.

Magnesium Hydroxide Surface Treated

WGK Classification (AwSV) 5209 WGK: nwg

12.2. Persistence and degradability Not readily biodegradable.

12.3. Bioaccumulative potential None.

Partition coefficient Not applicable

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

HUBER

Safety Data Sheet

Vertex® 60SV

Issue Date: 12/Mar/2021
Print Date: 12/Mar/2021

Revision Number: 1.4.1
Page 9 of 10

			on number										States
Magnesium Hydroxide Surface Treated	1309-42-8	215-170-3	01-211948 8756-18-0 040	Y	Y	Y	(1)-386 (ENCS) (ISHL)	KE-22716	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

US Federal Regulations

EPA

CERCLA

Not regulated

SARA 313

None

SARA 302

Not listed

SARA 304

Not listed

SARA 311/312 Hazardous Categorization

No

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Magnesium Hydroxide Surface Treated	1309-42-8	No	No	No	No	No

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs
regulatory.affairs@huber.com

Issue Date:

12/Mar/2021

Print Date:

12/Mar/2021

Revision Number:

1.4.1

HUBER

Safety Data Sheet

Vertex® 60SV

Issue Date: 12/Mar/2021

Print Date: 12/Mar/2021

Revision Number: 1.4.1

Page 10 of 10

Reason for Version OSHA (Occupational Safety and Health Administration of the US Department of Labor).

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

- International Agency for Research on Cancer (IARC)
- International Air Transport Association (IATA)
- International Maritime Dangerous Goods (IMDG)
- International Uniform Chemical Information Database (IUCLID)
- Workplace Hazardous Materials Information System (WHMIS) status and classification
- EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
- DOT (Department of Transportation)
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)
- TWA - Time-Weighted Average
- Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)
- The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
- PPE - Personal Protection Equipment
- NIOSH - National Institute for Occupational Safety and Health
- TDG (Transport of Dangerous Goods) Canada
- CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
- Reportable Quantity (RQ) (RQ/% in mixture)
- STEL - Short Term Exposure Limit
- TLV® - Threshold Limit Value
- Derived No Effect Level (DNEL)
- SVHC: Substances of Very High Concern for Authorization:
- Land transport (ADR/RID)
- Biochemical oxygen demand (BOD)
- Chemical oxygen demand (COD)
- ICAO (air)
- (IMDG) International Maritime Dangerous Goods
- Positive Pressure Self-Contained Breathing Apparatus (SCBA)
- Predicted No Effect Concentration (PNEC)
- Globally Harmonized System (GHS)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet