

**Martinal® OL-107 LEO**

Prepared in accordance with GB/T 16483-2008, GB/TGB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013  
Globally Harmonized System (GHS)

Issue Date: 13/Dec/2018  
Print Date: 13/Dec/2018

Revision Number: 1.3  
Page 1 of 9

**Section 1: PRODUCT AND COMPANY IDENTIFICATION**

<b>Product Name:</b>	Martinal® OL-107 LEO
<b>Pure substance/mixture</b>	Substance
<b><u>Aluminum Hydroxide</u></b>	
<b>CAS Number</b>	21645-51-2
<b>Weight-%</b>	>99
<b>Recommended Use</b>	Additive : Flame retardant
<b>Company:</b>	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
<b>Emergency Telephone</b>	CHEMTREC: 1 800 424 9300 or International +1 703 527 3887
<b>E-mail</b>	hubermaterials@huber.com
<b>Internet</b>	www.hubermaterials.com

**Section 2: HAZARDS IDENTIFICATION**

<b>GHS Classification</b>	Not classified
<b>Physical Hazard</b>	Not classified
<b>Health Hazard</b>	Not classified
<b>Environmental Hazard</b>	Not classified
<b>Label Elements</b>	
<b>Symbols/Pictograms</b>	None
<b>Signal Word</b>	None
<b><u>Precautionary Statements</u></b>	
<b>Prevention</b>	None

## Safety Data Sheet

Martinal® OL-107 LEO

Issue Date: 13/Dec/2018  
Print Date: 13/Dec/2018

Revision Number: 1.3  
Page 2 of 9

<b>Response</b>	None
<b>Spills and Leaks</b>	Collect spillage
<b>Storage</b>	Store in a dry place
<b>Disposal</b>	Dispose in accordance with local, state and national regulations
<b>General Advice</b>	None
<b>Additional Information:</b>	None.

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture      Substance

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	REACH registration number	Weight-%
Aluminum Hydroxide	21645-51-2	Y	Not classified	Y	01-2119529246-39-0016	>99

### Section 4: FIRST AID MEASURES

<b>General Advice</b>	None
<b>Eye Contact</b>	Hold eyelids apart and flush eyes with a steady, gentle stream of water for several minutes.
<b>Skin Contact</b>	Wash skin with soap and water
<b>Inhalation</b>	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
<b>Ingestion</b>	Rinse mouth with water. Do not induce vomiting.
<b>Notes to Physician</b>	Treat symptomatically
<b>Personal Protective Equipment For First Aid Responders</b>	Wear suitable protective clothing IF exposed or concerned: Get medical advice/attention
<b>Expected acute symptoms and delayed symptoms</b>	None known

### Section 5: FIRE FIGHTING MEASURES

Issue Date: 13/Dec/2018  
Print Date: 13/Dec/2018

Revision Number: 1.3  
Page 3 of 9

<b>Flammable Properties</b>	None known
<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media:</b>	None known
<b>Specific Hazards Arising from the Chemical</b>	None known
<b>Unusual fire &amp; explosion hazards:</b>	None
<b>Protective measures:</b>	Use protective equipment that is appropriate for surrounding materials.
<b>Protective Equipment and Precautions for Firefighters</b>	Wear self-contained breathing apparatus and protective suit

## Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Avoid dust formation. When exposed to high concentrations of airborne dust, wear a SCBA in accordance with national legislation
<b>Environmental Precautions</b>	This product does not present any particular risk to the environment. Refer to applicable national, state and local regulations prior to washing in drain.
<b>Methods for cleaning up</b>	Pick up mechanically and / or by rinsing with water. Avoid dry sweeping and use a sprinkler system or exhaust ventilation to prevent dust formation.
<b>Other Information:</b>	None known

## Section 7: HANDLING AND STORAGE

<b>Handling</b>	Avoid dust formation. Avoid breathing dust. Handle in accordance with good industrial hygiene and safety practice.
<b>Storage</b>	Store in a dry area. Keep containers closed and protect from physical damage.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Limits** Provide adequate ventilation as well as local exhaust at critical locations

**Aluminum Hydroxide**

ACGIH  
NIOSH  
OSHA

TLV/TWA 8-hr: 1 mg/m<sup>3</sup> (respirable fraction)  
TWA: 5 mg/m<sup>3</sup> (respirable dust); 10 mg/m<sup>3</sup> TWA (total dust)  
TWA: 15 mg/m<sup>3</sup> Total Dust  
5 mg/m<sup>3</sup> Respirable Dust

Issue Date: 13/Dec/2018  
Print Date: 13/Dec/2018

Revision Number: 1.3  
Page 4 of 9

<b>Engineering Measures</b>	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
<b><u>Personal Protective Equipment</u></b>	
<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles)
<b>Skin and Body Protection</b>	Wear suitable protective clothing
<b>Hand Protection</b>	Impervious gloves
<b>Respiratory Protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice Handle in accordance with good industrial hygiene and safety practice
<b>Environmental Exposure Controls</b>	Dispose of in accordance with local regulations

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Appearance:

<b>Physical State</b>	Solid Powder
<b>Color</b>	White
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH:</b>	+/- 9 ( 10% Water )
<b>Melting point / Freezing point</b>	~ 300 °C / 572 °F (1013 hPa)
<b>Initial boiling point and boiling range</b>	> 2900 °C / 5252 °F (1013 hPa)
<b>Flash Point:</b>	Not applicable. Product/Substance is inorganic. Solid.
<b>Evaporation Rate</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not flammable
<b>Upper flammability limit:</b>	
<b>Lower flammability limit:</b>	
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density</b>	Not applicable
<b>Relative Density</b>	+/- 2.42 g/cm <sup>3</sup> (20 °C)
<b>Water Solubility</b>	Insoluble
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	Not applicable Product/Substance is inorganic
<b>Autoignition Temperature</b>	No information available
<b>Decomposition Temperature</b>	No information available
<b>Dynamic viscosity</b>	Not applicable Solid
<b>Explosive Properties</b>	None
<b>Oxidizing Properties</b>	None

No data available

**Section 10: STABILITY AND REACTIVITY**

<b>Stability</b>	Stable under normal conditions
<b>Conditions to avoid:</b>	Decomposes at 200 °C : Al <sub>2</sub> O <sub>3</sub> Water
<b>Incompatible materials</b>	Strong acids
<b>Hazardous decomposition products</b>	None under normal processing
<b>Hazardous Reactions</b>	None under normal processing
<b>Hazardous polymerization:</b>	None under normal processing

**Section 11: TOXICOLOGICAL INFORMATION**

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

**Product Information****Information on Likely Routes of Exposure**

<b>Eyes</b>	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
<b>Skin</b>	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
<b>Inhalation</b>	Do not breathe dust
<b>Ingestion</b>	Ingestion is not a likely route of exposure
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>Symptoms</b>	Low hazard for usual industrial or commercial handling

**11.1. Information on toxicological effects****Aluminum Hydroxide**

<b>Oral LD50</b>	> 2000 mg/kg Rat
<b>Inhalation LC50</b>	Rat > 2.3 mg/l (Al <sub>2</sub> O <sub>3</sub> ) Aerosol Maximum attainable concentration
<b>IARC</b>	Not Listed

Issue Date: 13/Dec/2018  
Print Date: 13/Dec/2018

Revision Number: 1.3  
Page 6 of 9

**Reproductive Toxicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity** Very low solubility. Not considered to be harmful to aquatic life.

**Persistence/Degradability:** The methods for determining biodegradability are not applicable to inorganic substances.

**Bioaccumulative Potential** Not likely to bioaccumulate.

**Partition coefficient** Not available

**Bioconcentration factor** No data available.

**(BCF)**

**Mobility in soil** No information available.

**Results of PBT and vPvB assessment** This substance does not meet the criteria for classification as PBT or vPvB.

**Other Adverse Effects** No information available

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from Residues/Unused Products** Dispose of in accordance with local regulations

**Contaminated Packaging:** Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14: TRANSPORT INFORMATION

**Mode of Transportation (Road, Water, Air, Rail)**

**DOT** Not regulated

**IATA** Not regulated

**IMDG/IMO** Not regulated

**ICAO** Not regulated

**14.1. UN number** None

**14.2. UN proper shipping name** None

**14.3. Transport hazard class(es)** None

**14.4. Packing group** None

HUBER

# Safety Data Sheet

Martinal® OL-107 LEO

Issue Date: 13/Dec/2018  
Print Date: 13/Dec/2018

Revision Number: 1.3  
Page 7 of 9

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not applicable

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952924-6-39-0016	Y	Y	Y	Y	KE-00980	Y	Y	Y	Y	Y

#### Legend

X / Y: Complies , - / N: Not Listed , Exempt

## Section 16: OTHER INFORMATION

<b>Prepared by</b>	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com
<b>Reason for Revision</b>	GB/T 16483-2008 GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013
<b>GHS Classification</b>	Not classified
<b>Physical Hazard</b>	Not classified
<b>Health Hazard</b>	Not classified
<b>Environmental Hazard</b>	Not classified
<b>Label Elements</b>	
<b>Symbols/Pictograms</b>	None
<b>Signal Word</b>	None
<b>Abbreviations and acronyms</b>	<p>International Agency for Research on Cancer (IARC)          International Air Transport Association (IATA)          International Maritime Dangerous Goods (IMDG)          International Uniform Chemical Information Database (IUCLID)          Workplace Hazardous Materials Information System (WHMIS) status and classification          EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification          DOT (Department of Transportation)          OSHA (Occupational Safety and Health Administration of the US Department of Labor)          TWA - Time-Weighted Average          Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)          The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)          PPE - Personal Protection Equipment          NIOSH - National Institute for Occupational Safety and Health          TDG (Transport of Dangerous Goods) Canada          CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)          Reportable Quantity (RQ) (RQ/% in mixture)          STEL - Short Term Exposure Limit          TLV® - Threshold Limit Value          Derived No Effect Level (DNEL)          SVHC: Substances of Very High Concern for Authorization:          Land transport (ADR/RID)          Biochemical oxygen demand (BOD)          Chemical oxygen demand (COD)          ICAO (air)          (IMDG) International Maritime Dangerous Goods          Positive Pressure Self-Contained Breathing Apparatus (SCBA)          Predicted No Effect Concentration (PNEC)          Globally Harmonized System (GHS)</p>



HUBER

**Safety Data Sheet**  
**Martinal® OL-107 LEO**

**Issue Date:** 13/Dec/2018

**Print Date:** 13/Dec/2018

**Revision Number:** 1.3

**Page 9 of 9**

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**