



HUBER ENGINEERED MATERIALS

Safety Data Sheet

Hubercarb® M200

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 04/Nov/2025
Print Date 12/Jan/2026

Revision Number 1.4
Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Hubercarb® M200
Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Filler. Functional additive.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer Huber Carbonates, LLC
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300
Internet www.huberadvancedmaterials.com
Contact E-Mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008)

Hazards identification
Physical Hazard Not classified.

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 2 of 12

Health Hazards

Carcinogenicity category 1A
Specific target organ toxicity (STOT) - single exposure, category 2 Lungs

Environmental Hazard

Not classified.

2.2. Label elements**Symbols/Pictograms****Signal Word**

Danger

Hazard Statements

H350 - May cause cancer
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements**Prevention**

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Storage

P405 - Store locked up

Disposal

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Additional Information:

Not applicable.

2.3. Other hazards

No information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance

Chemical Name	CAS NUMBER:	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Limestone	1317-65-3	215-279-6	Not classified.	88 - 97
Crystalline Silica, quartz *	14808-60-7	238-878-4	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2	3 - 7

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 3 of 12

			Respiratory system	
--	--	--	--------------------	--

* Naturally occurring, not intentionally added

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed Signs and symptoms may include coughing, gasping, choking and difficulty breathing.

4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Do not breathe dust.

5.3. Advice for firefighters

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 4 of 12

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handlingAvoid exposure - obtain special instructions before use
Ensure adequate ventilation
Do not breathe dust
Use personal protective equipment as required
Handle in accordance with good industrial hygiene and safety practice**7.2. Conditions for safe storage, including any incompatibilities**Keep container tightly closed and dry
Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters**Occupational exposure limits**Limestone

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 5 of 12

ACGIH	10 mg/m ³ Total Dust, 3 mg/m ³ Respirable Dust
OSHA	5 mg/m ³ TWA (respirable fraction) 15 mg/m ³ TWA (total dust)
France	10 mg/m ³
Italy	10 mg/m ³
United Kingdom	10 mg/m ³ TWA (inhalable dust); 4 mg/m ³ TWA (respirable dust)
Crystalline Silica, quartz *	
ACGIH	TWA: 0.025 mg/m ³ respirable fraction
OSHA	TWA: 0.05 mg/m ³ OSHA Action level: 0.025 mg/m ³
NIOSH	0.05 mg/m ³ TWA (respirable dust)
Austria	MAK: 0,15 mg/m ³ (respirable dust)
Belgium	TWA: 0,1 mg/m ³ (respirable dust)
Bulgaria	TWA: 0,07 mg/m ³ (respirable fraction)
Croatia	MAC: 0,1 mg/m ³
Czech Republic	TWA: 0,1 mg/m ³ (respirable dust)
Denmark	TLV 0,3 mg/m ³ (total) 0,1 mg/m ³ (respirable)
Estonia	TWA: 0,1 mg/m ³ (respirable dust)
Finland	TWA: 0,05 mg/m ³ (respirable)
France	VME: 0,1 mg/m ³ (restrictive limit, alveolar fraction)
Hungary	TWA: 0,15 mg/m ³ (respirable)
Iceland	TWA: 0,3 mg/m ³ (total dust) 0,1 mg/m ³ (respirable dust)
Ireland	TWA: 0,1 mg/m ³ (respirable dust)
Italy	TWA: 0,025 mg/m ³ (respirable fraction)
Italy	TWA: 0,025 mg/m ³ (respirable fraction)
Lithuania	TWA: 0,1 mg/m ³ (respirable fraction)
Netherlands	TWA: 0,075 mg/m ³ (respirable dust)
Norway	TLV: 0,3 mg/m ³ (total dust) 0,1 mg/m ³ (respirable dust)
Poland	TWA: 2 mg/m ³ (total dust) 0,3 mg/m ³ (respirable dust)
Portugal	TWA: 0,025 mg/m ³ (respirable fraction)
Slovakia	TWA: 0,1 mg/m ³ (respirable fraction)
Slovenia	TWA: 0,15 mg/m ³ (respirable fraction)
Spain	VLA-ED TWA: 0,1 mg/m ³ (respirable fraction)
Sweden	TWA: 0,1 mg/m ³ (respirable dust)
Switzerland	TWA: 1, 15 mg/m ³ (respirable dust)
United Kingdom	TWA: 0,1 mg/m ³ (respirable)

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values No information available

DNEL (Derived No Effect Level) No information available

PNEC (Predicted No Effect Concentration) No information available

8.2. Exposure controls

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 6 of 12

Engineering Measures	Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid
Color	White
Odor	Odorless
pH:	8.4 - 10.2 5% Water suspension
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	Not applicable
Relative Vapor Density	Not applicable
Relative Vapor Density	Not applicable
Density	No data available
Relative Density	2.7 g/cm ³ @ 20°C
Water Solubility	0.01 g/l (Practically insoluble) @ 20°C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	1292 - 1652 °F (700 - 900 °C)

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 7 of 12

Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Characteristics	No information available
VOC Content (%)	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
---------------------	---

11.1. Information on toxicological effects

Limestone

Oral LD50 6450 mg/kg Rat

Crystalline Silica, quartz *

Oral LD50 500 mg/kg Rat Mouse

ACGIH	Group 2A - Probably Carcinogenic to Humans
IARC	Group 1 - Carcinogenic to Humans

Safety Data Sheet

Hubercarb® M200**Issue Date** 04/Nov/2025**Print Date** 12/Jan/2026**Revision Number** 1.4**Page** 8 of 12

Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values
Chronic Toxicity	Potential occupational carcinogen.
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
Respiratory Sensitization	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met.
Skin Sensitization	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Effects	Based on available data, the classification criteria are not met.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Target Organ Effects	Respiratory system.
Specific target organ toxicity - Single exposure	No information available.
Specific target organ toxicity - Repeated exposure	Causes damage to organs through prolonged or repeated exposure if inhaled. Lungs.

Information on Likely Routes of Exposure

Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.

11.2. Information on other hazards

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 9 of 12

11.2.1. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Limestone

WGK Classification (AwSV) 317. WGK: nwg

Crystalline Silica, quartz *

WGK Classification (AwSV) 849. WGK: nwg

12.2. Persistence and degradability Not readily biodegradable.

12.3. Bioaccumulative potential None.

Partition coefficient Not applicable

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

12.7. Other Adverse Effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 10 of 12

the product was used

Limestone

European Waste Catalog 10130414

WGK Classification (AwSV) 317. WGK: nwg

Crystalline Silica, quartz *

WGK Classification (AwSV) 849. WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Global Inventories**

Pure substance/mixture Substance

Chemical Name	CAS NUMBER:	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Y	Y (NDSL)	Y	(1)-122(E) NCS)(ISHL)	KE-21996	Y	55-1-0141 2	Y	Y	Y	A

HUBER

Safety Data Sheet

Hubercarb® M200

Issue Date 04/Nov/2025

Print Date 12/Jan/2026

Revision Number 1.4

Page 11 of 12

Crystalline Silica, quartz *	14808-60-7	238-878-4	Y	Y	Y	(1)-548(E NCS)(ISH L)	KE-29983	Y	55-1-0194 2	Y	Y	Y	A
------------------------------	------------	-----------	---	---	---	-----------------------	----------	---	-------------	---	---	---	---

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Limestone

EU REACH registration number Exempt

Crystalline Silica, quartz *

EU REACH registration number Exempt

Germany

Not considered to be harmful to aquatic life

Limestone

WGK Classification (AwSV) 317. WGK: nwg

Crystalline Silica, quartz *

WGK Classification (AwSV) 849. WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date

04/Nov/2025

Print Date

12/Jan/2026

Revision Number

1.4

Prepared by

Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008)

Labeling

Symbols/Pictograms



Signal Word

Danger

Safety Data Sheet

Hubercarb® M200**Issue Date** 04/Nov/2025**Print Date** 12/Jan/2026**Revision Number** 1.4**Page 12 of 12****Hazard Statements**

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet