



ADVANCED MATERIALS

Safety Data Sheet

Hymod® SB432-SH2

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
GHS (Globally Harmonized System)

Issue Date 28/Feb/2023
Print Date 31/May/2023

Revision Number 1.3
Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Hymod® SB432-SH2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 2 of 10

Hazard Statements None**Hazard Statements** None**Precautionary Statements**

Prevention Employ good industrial hygiene practice
Do not breathe dust
Wear protective gloves/protective clothing/eye protection/face protection

Response Wash with plenty of soap and water

Storage Store away from incompatible materials
Keep in a dry place

Disposal Dispose of contents/containers in accordance with local regulations

Additional Information: Not applicable.

Hazards not otherwise classified (HNOC) Not classified.

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	EU REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Hydroxide	21645-51-2	A	Y	Y	01-211952924-6-39	Not classified	--	99
Surface Treatment		A	Y	Y		Not classified	--	1

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Ingestion Rinse mouth thoroughly with water.

Safety Data Sheet

Hymod® SB432-SH2**Issue Date** 28/Feb/2023**Print Date** 31/May/2023**Revision Number** 1.3**Page** 3 of 10

Inhalation	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.**For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in

Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 4 of 10

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.**6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust**6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid exposure - obtain special instructions before use. Minimize dust generation and accumulation.**7.2. Conditions for safe storage, including any incompatibilities** Store away from incompatible materials. Keep container tightly closed and dry.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

OSHA

TWA: 15 mg/m³ Total Dust5 mg/m³ Respirable Dust

ACGIH

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

Canada - Nova Scotia - OEL - TWA

1 mg/m³ TWA (respirable fraction)**PNEC (Predicted No Effect Concentration)** No information available**DNEL (Derived No Effect Level)** No information available**Biological Limit Values** No information available

8.2. Exposure controls

Engineering Measures Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.**Personal protective equipment**

Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 5 of 10

Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4-10.2 (5% water suspension)
Melting Point / Melting Range	Not applicable
Melting point / Freezing point	Not applicable
Freezing Point	Not applicable
Flash Point	Not determined
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	2.4 g/cm ³ , 20° C
Water Solubility	Insoluble
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	392 °F (200 °C)
Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 6 of 10

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous reactions No specific hazard known

10.4. Conditions to avoid Incompatible materials

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition products None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Chronic Effects Based on available data, the classification criteria are not met.

Mutagenicity Not mutagenic

Reproductive Effects This product does not contain any known or suspected reproductive hazards.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Information on Likely Routes of Exposure

Safety Data Sheet

Hymod® SB432-SH2**Issue Date** 28/Feb/2023**Print Date** 31/May/2023**Revision Number** 1.3**Page** 7 of 10

Inhalation	Avoid inhalation of the product Inhalation of dust may cause irritation of the respiratory system
Ingestion	Ingestion is not a likely route of exposure
Skin	Avoid contact with skin and clothing Prolonged exposure may cause skin irritation
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable

SECTION 12: Ecological information

12.1. Toxicity	Not considered to be harmful to aquatic life
-----------------------	--

Aluminum Hydroxide

WGK Classification (AwSV)	5220 WGK: nwg
----------------------------------	---------------

12.2. Persistence and degradability	Not readily biodegradable.
--	----------------------------

12.3. Bioaccumulative potential	None.
--	-------

Partition coefficient	Not applicable
------------------------------	----------------

Bioconcentration factor (BCF)	No data available.
--------------------------------------	--------------------

12.4. Mobility in soil	None.
-------------------------------	-------

12.5. Results of PBT and vPvB assessment	No data available.
---	--------------------

12.6. Endocrine disrupting	This product does not contain any known or suspected endocrine disruptors
-----------------------------------	---

Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 8 of 10

properties

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide

European Waste Catalog	060299
WGK Classification (AwSV)	5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 9 of 10

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Surface Treatment		Y	Exempt	Y	Y	Y	Y	Y	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

US Federal Regulations

EPA

Aluminum Hydroxide

CERCLA

Not listed

SARA 302

Not listed

CWA (Clean Water Act)

Not regulated

CAA (Clean Air Act)

Not regulated

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	N	N	N

Legend Y: Listed ; N: Not Listed

CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs
regulatory.affairs@huber.com

Issue Date

28/Feb/2023

Print Date

31/May/2023

Safety Data Sheet

Hymod® SB432-SH2**Issue Date** 28/Feb/2023**Print Date** 31/May/2023**Revision Number** 1.3**Page 10 of 10****Revision Number** 1.3**Reason for Version** OSHA (Occupational Safety and Health Administration of the US Department of Labor). May 25, 2012.**Training Advice** Do not handle until all safety precautions have been read and understood.**Abbreviations and acronyms**

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
SARA (Superfund Amendments and Reauthorization Act of 1986)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet