



HUBER ENGINEERED MATERIALS

Safety Data Sheet

HYMOD® M632 SG

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
Globally Harmonized System (GHS)

Issue Date: 12/Feb/2018

Print Date: 12/Feb/2018

Revision Number: 1.2

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HYMOD® M632 SG

Pure substance/mixture Mixture

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% 98-99

Surface Treatment

CAS Number --

Weight-% <2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use flame retardant. Smoke suppressant.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887EU Phone: +49-2271-90.22.78 (Germany)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

HUBER

Safety Data Sheet

HYMOD® M632 SG

Issue Date: 12/Feb/2018
Print Date: 12/Feb/2018

Revision Number: 1.2
Page 2 of 11

Physical Hazards Not classified
Health Hazards Not classified
Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None
Signal Word None
Hazard Statements None
Hazard Statements None

Precautionary Statements

Prevention Employ good industrial hygiene practice
Do not handle until all safety precautions have been read and understood.
Do not breathe dust
Wear protective gloves/protective clothing/eye protection/face protection

Response IF ON SKIN: Wash with plenty of soap and water

Storage Store away from incompatible materials

Disposal Dispose of contents/containers in accordance with local regulations

Additional Information: None.

Hazards not otherwise classified (HNOC) Not classified.

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Hydroxide	21645-51-2	Y	Y	Y	01-211952924-6-39-0016	Not classified	Not regulated	98-99
Surface Treatment	--	Y	Y	Y	Pre-registered	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)	Not regulated	<2

Legend

X / Y: Complies , - / N: Not Listed , Exempt

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Minimize dust generation and accumulation. Provide local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities Store away from incompatible materials. Keep container tightly closed and dry.

7.3. Specific end use(s) Flame retardant.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****Aluminum Hydroxide**

OSHA

TWA: 15 mg/m³ Total Dust
5 mg/m³ Respirable Dust

ACGIH

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

NIOSH

TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)

Canada - BC TWA

TWA: 1 mg/m³ (respirable)

Canada - Manitoba - OEL - TWA

TWA: 1 mg/m³ (respirable)

Canada - Newfoundland & Labrador - OEL - TWA

TWA: 1 mg/m³ (respirable)

Canada - Nova Scotia - OEL - TWA

TWA: 1 mg/m³ (respirable)Canada - Prince Edward Island - OEL - TWA: 1 mg/m³ (respirable)

HUBER

Safety Data Sheet

HYMOD® M632 SG

Issue Date: 12/Feb/2018
Print Date: 12/Feb/2018

Revision Number: 1.2
Page 5 of 11

TWA
Mexico

No se ha establecido

Biological Limit Values: None

Derived No Effect Level (DNEL) Consumer - oral, long-term - local and systemic 4.74 mg/kg bw/day Worker - inhalative, long-term - local and systemic 10.74 mg/m³

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas. Provide a good standard of controlled ventilation (10 to 15 air changes per hour).

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

Environmental Exposure Controls Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State

Solid

Color

White

Odor

Odorless

Odor Threshold

No information available

pH:

Not available

Melting point / Freezing point

Not applicable

Boiling Point

No information available

Issue Date: 12/Feb/2018
Print Date: 12/Feb/2018

Revision Number: 1.2
Page 6 of 11

Flash Point:	Non-combustible.
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	2.4 g/cm ³ , 20° C
Water Solubility	Insoluble
Solubility in other solvents	
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	200° C
Viscosity	Not applicable.
Explosive Properties	Not applicable
Oxidizing Properties	Not oxidizing
VOC Content (%)	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials.
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
---------------------	---

Information on Likely Routes of Exposure

Inhalation	Avoid inhalation of the product
Skin	Avoid contact with skin and clothing Prolonged exposure may cause skin irritation

Issue Date: 12/Feb/2018
Print Date: 12/Feb/2018

Revision Number: 1.2
Page 7 of 11

Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	No information available.
Specific target organ toxicity - Single exposure	No information available.
Specific target organ toxicity - Repeated exposure	No information available.
Mixture versus substance information	No information available

SECTION 12: Ecological information

12.1. Ecotoxicity	Not considered to be harmful to aquatic life.
--------------------------	---

Issue Date: 12/Feb/2018
Print Date: 12/Feb/2018

Revision Number: 1.2
Page 8 of 11

Aluminum Hydroxide**Aquatic toxicity**

Acute
Crustacea
Daphnia Magna (Water Flea) 0.72 mg/l 48 hour pH 7.5
Fish EC50
Pimephales promelas (fathead minnow) 1.16 mg/l pH 7.8
Pimephales promelas (fathead minnow) >218644 1 µg/L 96 hour

Chronic
Fish LC50: Pimephales promelas (fathead minnow) 145190 1.16 7 day

Other
LC50 Lymnaea stagnalis >2099 µg/L 30 day
EC50 Aeromonas sp 1923 9 µg/L 17 day

WGK Classification (VwVwS) 5220 WKG: nwg

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential

No data available.

Partition coefficient

Not applicable

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

None.

12.5. Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes

Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide**European Waste Catalog**

060299

WGK Classification (VwVwS) 5220 WKG: nwg

Issue Date: 12/Feb/2018
 Print Date: 12/Feb/2018

Revision Number: 1.2
 Page 9 of 11

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 Not applicable

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture

Mixture

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39-0 016	Y	Y	Y	Y	KE-00980	Y	Y	Y	Y	Y
Surface Treatment	--	--	Pre-registered	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Legend

X / Y: Complies - / N: Not Listed Exempt

HUBER

Safety Data Sheet

HYMOD® M632 SG

Issue Date: 12/Feb/2018
Print Date: 12/Feb/2018

Revision Number: 1.2
Page 10 of 11

US Federal Regulations

EPA

CERCLA

Aluminum Hydroxide

CERCLA	Not listed
SARA 311/312 Hazardous Categorization	Not listed
SARAH 302 RQ, lbs	Not listed

CWA (Clean Water Act)

Not listed

CAA (Clean Air Act)

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	California CPR	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	No		No	No	No	No
Surface Treatment	--						

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

Aluminum Hydroxide

Not regulated

Surface Treatment

Not regulated

SECTION 16: Other information

Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs
regulatory.affairs@huber.com

Issue Date:

12/Feb/2018

Print Date:

12/Feb/2018

Revision Number:

1.2

Reason for Version

OSHA (Occupational Safety and Health Administration of the US Department of Labor).

Training Advice

Do not handle until all safety precautions have been read and understood.

HUBER

Safety Data Sheet

HYMOD® M632 SG

Issue Date: 12/Feb/2018

Print Date: 12/Feb/2018

Revision Number: 1.2

Page 11 of 11

Abbreviations and acronyms

International Agency for Research on Cancer (IARC)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
International Uniform Chemical Information Database (IUCLID)
Workplace Hazardous Materials Information System (WHMIS) status and classification
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA - Time-Weighted Average
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
PPE - Personal Protection Equipment
NIOSH - National Institute for Occupational Safety and Health
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet