ADVANCED MATERIALS

Safety Data Sheet

HYMOD® SB-336 SP

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
GHS (Globally Harmonized System)

Issue Date 14/May/2025 Revision Number 1.3
Print Date 14/May/2025 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HYMOD® SB-336 SP

Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fire Retardant. Smoke suppressant.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status This material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200)

Physical Hazards Not classified.

Health Hazards Not classified.

Environmental Hazard Not classified.

2.2. Label elements

Safety Data Sheet

HYMOD® SB-336 SP

Issue Date 14/May/2025 Revision Number 1.3
Print Date 14/May/2025 Page 2 of 11

Symbols/Pictograms None

Signal Word None

Hazard Statements None

Precautionary Statements

Prevention Do not handle until all safety precautions have been read and understood

Employ good industrial hygiene practice

Do not breathe dust

Wear protective gloves/protective clothing/eye protection/face protection

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Store away from incompatible materials

Keep in a dry place

Disposal Disposal should be in accordance with applicable regional, national and local laws

and regulations

 $\textbf{Hazards not otherwise classified} \ None \ known.$

(HNOC)

SECTION 3: Composition/information on ingredients

Pure substance/mixture Substance

Chemical Name	CAS NUMBER:	Weight-%
Aluminum Hydroxide	21645-51-2	>99
Surface Treatment	Proprietary	<1

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice Do not handle until all safety precautions have been read and understood. Employ

good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if

symptoms are observed, get medical advice.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

Safety Data Sheet

HYMOD® SB-336 SP

Revision Number 1.3 Issue Date 14/May/2025

Print Date 14/May/2025 Page 3 of 11

Skin Contact Wash with plenty of soap and water.

Ingestion Rinse mouth thoroughly with water.

Inhalation Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

Aspiration hazard Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

4.3. Indication of any immediate Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and

prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

Safety Data Sheet

HYMOD® SB-336 SP

Issue Date 14/May/2025 Revision Number 1.3
Print Date 14/May/2025 Page 4 of 11

emergency procedures

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for Large Sp

containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities**

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

<u>Aluminum Hydroxide</u>

OSHA TWA: 15 mg/m³ (Total Dust) 5 mg/m³ (Respirable Dust)

ACGIH TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

Canada - Ontario - OEL - TWA EVs 1 mg/m3

Canada - Nova Scotia - OEL - TWA 1 mg/m³ TWA (respirable fraction)

PNEC (Predicted No Effect

Concentration)

No information available

DNEL (Derived No Effect Level) No information available

Safety Data Sheet

HYMOD® SB-336 SP

Revision Number 1.3 Issue Date 14/May/2025

Print Date 14/May/2025 Page 5 of 11

No information available **Biological Limit Values**

8.2. Exposure controls

Engineering Measures Provide a good standard of controlled ventilation (5 to 10 air changes per hour).

Use exhaust ventilation to keep airborne concentrations below exposure limits. In

case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection

Skin and Body Protection

Wear suitable protective clothing. **Hand Protection**

For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

Respiratory Protection

Thermal hazards

In case of inadequate ventilation wear respiratory protection.

None known. Wear suitable protective clothing.

Wear safety glasses with side shields (or goggles).

Hygiene Measures No information available.

Environmental Exposure

Controls

Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Solid Powder **Physical State** Color White Odor Odorless

No information available **Odor Threshold**

8.4 - 10.2 (5% water suspension)

No data available **Melting Point / Melting Range** Not applicable Melting point / Freezing point

Boiling Point No information available

Freezing Point Not applicable Non-combustible **Flash Point Evaporation Rate** Not applicable. Flammability (solid, gas) Not applicable

Upper flammability limit: Lower flammability limit:

Vapor Pressure Not applicable **Vapor Density** Not applicable **Vapor Density** Not applicable 2.4 g/cm3, 20°C **Density**

Relative Density

Water Solubility Insoluble **Partition coefficient** Not applicable Not applicable **Autoignition Temperature**

200° C **Decomposition Temperature**

No information available. **Viscosity**

Kinematic viscosity Not applicable

Safety Data Sheet

HYMOD® SB-336 SP

Issue Date 14/May/2025 Revision Number 1.3

Print Date 14/May/2025 **Page 6 of 11**

Explosive PropertiesOxidizing Properties
Not applicable
Not applicable

Particle Size No information available

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoid Incompatible materials Dust formation

10.5. Incompatible materials None known

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50 > 2000 mg/kg Rat

IARC Not Listed

Chronic Toxicity Not classified.

Respiratory Sensitization No data available

Serious eye damage/eye

irritation

Dust may cause mechanical irritation to eyes

Safety Data Sheet

HYMOD® SB-336 SP

Issue Date 14/May/2025 Revision Number 1.3

Print Date 14/May/2025 Page 7 of 11

Skin Corrosion/Irritation Prolonged or repeated contact may dry skin and cause irritation

Mutagenicity No data available

Germ cell mutagenicity No data available.

Reproductive Toxicity Based on available data, the classification criteria are not met.

Carcinogenicity Not listed.

Specific target organ toxicity -

Single exposure

No data available.

Specific target organ toxicity -

Repeated exposure

No data available.

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Ingestion Ingestion is not a likely route of exposure

Skin Prolonged or repeated contact may dry skin and cause irritation

Eyes Dust contact with the eyes can lead to mechanical irritation

Aspiration hazard Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

<u>Aluminum Hydroxide</u>

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and

degradability

No data available.

12.3. Bioaccumulative potential No data available.

Partition coefficient Not applicable

Safety Data Sheet

HYMOD® SB-336 SP

Revision Number 1.3 Issue Date 14/May/2025 Print Date 14/May/2025

Page 8 of 11

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

No data available.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

12.7. Other Adverse Effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws **Disposal Methods**

and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Aluminum Hydroxide

European Waste Catalog 060299

WGK Classification (AwSV) 5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated Not regulated DOT Not regulated ADR Not regulated RID Not regulated ADN **IATA** Not regulated IMDG/IMO Not regulated Not regulated **ICAO**

Safety Data Sheet

HYMOD® SB-336 SP

Issue Date 14/May/2025 Revision Number 1.3
Print Date 14/May/2025 Page 9 of 11

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture Substance

TSCA: United States

All ingredients in this product are listed on or exempt from listing on the U.S. EPA Toxic Substances Control Act (TSCA) Inventory.

US Federal Regulations

EPA

Aluminum Hydroxide

CERCLA Not listed SARA 302 Not listed

CWA (Clean Water Act)

Not listed

CAA (Clean Air Act)

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS NUMBER:	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	N	N	N
Surface Treatment	Confidential	-	N	N	N	N

Y: Listed ; N: Not Listed

Safety Data Sheet

HYMOD® SB-336 SP

Issue Date 14/May/2025 Revision Number 1.3
Print Date 14/May/2025 Page 10 of 11

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by Huber Engineered Materials (HEM) Global Regulatory Affairs

regulatory.affairs@huber.com

 Issue Date
 14/May/2025

 Print Date
 14/May/2025

Revision Number 1.3

Reason for Version OSHA (Occupational Safety and Health Administration of the US Department of

Labor).

Training AdviceDo not handle until all safety precautions have been read and understood

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

SARA (Superfund Amendments and Reauthorization Act of 1986)

TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used

Safety Data Sheet

HYMOD® SB-336 SP

Issue Date 14/May/2025 **Print Date** 14/May/2025

Revision Number 1.3 Page 11 of 11

in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet