



Kemgard® 911B

MoEL's Public Notice No. 2025-50 Standards for Classification and Labeling of Chemical Substances and Safety Data Sheet (SDS)

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 1 of 11

Section 1: PRODUCT AND COMPANY IDENTIFICATION

A. Product name Kemgard® 911B

Pure substance/mixture Mixture

B. Recommended use and Limitations on use

Recommended Use Flame retardant. Smoke suppressant.

Uses advised against None known

C. Supplier information

Company Name J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

E-mail www.huberadvancedmaterials.com/contact

Internet www.huberadvancedmaterials.com

Contact person CHEMTREC
Emergency phone number +1 800 424 9300 International +1 703 527 3887

Section 2: HAZARDS IDENTIFICATION

A. Hazard category/Classification

Physical Hazards Not classified.

Health Hazards Acute oral toxicity Category 4
Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazards Acute Aquatic Toxicity: Category 1
Chronic Aquatic Toxicity: Category 1

B. Warning label items including precautionary statement

Label Elements

Symbols/Pictograms

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 2 of 11

**Signal Words**

Warning

Hazard Statements

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statement**Prevention**

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment

Response

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P314 - Get medical advice/attention if you feel unwell

P391 - Collect spillage

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P402 - Store in a dry place

Disposal

P501 - Dispose of contents/containers in accordance with local regulations

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical Name	CAS NUMBER:	S. Korea (KECL)	Korean GHS Classification	Weight-%
Zinc Oxide	1314-13-2	KE-35565	Aquatic Acute 1	>25

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 3 of 11

Zinc Molybdenum Oxide	22914-58-5	KE-11910	Aquatic Chronic 1 Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	>25
-----------------------	------------	----------	--	-----

Section 4: FIRST AID MEASURES

- A. In case of eye contact** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes Call a physician if irritation develops and persists
- B. In case of skin contact** Wash with plenty of soap and water Take off contaminated clothing and wash before reuse
- C. In case of inhalation** Move to fresh air. Call a physician if symptoms develop or persist.
- D. In case of swallowing** Rinse mouth. Get medical attention if symptoms occur.
- E. Note to physician** Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

A. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).
- Unsuitable extinguishing media** Do not use water jetstream

B. Specific hazards arising from the chemical (example: hazardous combustion products)

- Explosion hazard:** Avoid dust formation

C. Specific methods of fire-fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency measures Ensure adequate ventilation. Avoid dust formation. See section 8 for more information.

B. Environmental precautions Very toxic to aquatic life with long lasting effects. Avoid discharge into drains, water courses or onto the ground.

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 4 of 11

C. Methods and materials for containment and cleaning up Vacuum or sweep material and place in a disposal container.

Section 7: HANDLING AND STORAGE

A. Precautions for safe handling

In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation. Very toxic to aquatic life with long lasting effects

B. Conditions for safe storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limit values, biological limit values, etc

Zinc Oxide

Korea

TWA: 5 mg/m³ (fume);
2 mg/m³ (respirable fraction)
STEL 10 mg/m³ (fume)

Korea

ACGIH

STEL: 10 mg/m³ (respirable)
TWA: 2 mg/m³ (respirable)
PEL: 15 mg/m³ (total dust)
5 mg/m³ (respirable fraction)

OSHA

Zinc Molybdenum Oxide

Korea

TWA: 8-hour 0.5 mg/m³

Korea

STEL: Not established

ACGIH

TWA: 10 mg/m³ dust
0.5 mg/m³ Respirable fraction

OSHA

TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)
PEL: 5 mg/m³ (respirable)

B. Engineering Controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

C. Personal protective equipment

- **Respiratory protection**
- **Eye protection**
- **Hand protection**
- **Body protection**

In case of inadequate ventilation wear respiratory protection.
If contact is likely, safety glasses with side shields are recommended.
For prolonged or repeated skin contact use suitable protective gloves.
Wear suitable protective clothing.

Hygiene Measures

Always observe good personal hygiene measures, such as washing after handling

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 5 of 11

the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid (powder)
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	6.5 5% Water suspension
Melting Point / Melting Range	No information available
Initial boiling point	No information available
Freezing Point	No information available
Boiling Point	No information available
Flash Point	Not applicable
Evaporation Rate	Product/Substance is inorganic
Flammability	Not applicable
Upper flammability limit:	Not applicable
Lower flammability limit:	Not applicable
Vapor Pressure	No data available
Relative Vapor Density	No data available
Relative Density	5.1
Water Solubility	Slightly soluble
Solubility in other solvents	No information available
Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No information available
Viscosity	No information available
Kinematic viscosity	No data available.

VOC Content (%) Not applicable

None known

Section 10: STABILITY AND REACTIVITY

A. Stability and hazardous reaction potential

Stability Stable under normal conditions

Hazardous reaction potential None known

B. Conditions to avoid (e.g. static discharge, shock or Vibration, etc) Avoid creating dust. Incompatible materials.

C. Incompatible materials Strong oxidizing agents

Issue Date 26/Jun/2026
Print Date 26/Jun/2026

Revision Number 1.5.1
Page 6 of 11

D. Hazardous decomposition products No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION

A. Information on likely routes of exposure

- **Respiratory organs** Inhalation of dust may cause irritation of the respiratory system.
- **Mouth** Not an expected route of exposure
- **Eyes** Dust contact with the eyes can lead to mechanical irritation
- **Skin** Prolonged skin contact may cause temporary irritation.

B. Information on health hazards

Zinc Oxide

Oral LD50 7950 mg/kg Rat

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

Zinc Molybdenum Oxide

IARC Not Listed

Specific target organ toxicity - Repeated exposure Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Acute Toxicity Low hazard for usual industrial or commercial handling

Respiratory Sensitization Does not cause sensitization

Serious eye damage/eye irritation Dust may cause mechanical irritation to eyes

Skin Corrosion/Irritation Contact with dust can cause mechanical irritation or drying of the skin

Skin Sensitization Not a skin sensitizer

Germ cell mutagenicity No data available.

Reproductive Effects This product does not contain any known or suspected reproductive hazards.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity - Single exposure No data available.

Specific target organ toxicity - Repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Section 12: ECOLOGICAL INFORMATION

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 7 of 11

A. Ecotoxicity**Hazardous to the aquatic environment, acute hazard**

Very toxic to aquatic life

Hazardous to the aquatic environment, long-term hazard

Very toxic to aquatic life with long lasting effects

Ecologically hazardous substances

None known

Avoid runoff to waterways and sewers

B. Persistence/degradability Not biodegradable**C. Bioaccumulative potential** No data available**D. Mobility in soil** No data available**E. Other adverse effects** No data available**Section 13: DISPOSAL CONSIDERATIONS****A. Method of disposal**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 14: TRANSPORT INFORMATION**Mode of Transportation (Road, Water, Air, Rail)**

ADR	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
ADN	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
IATA	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
IMDG/IMO	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)

Kemgard® 911B

Issue Date 26/Jun/2026
Print Date 26/Jun/2026

Revision Number 1.5.1
Page 8 of 11

ICAO

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)

14.1. UN number UN3077

14.2. UN proper shipping name UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)

14.3. Transport hazard class(es) 9

Subsidiary Risk -

14.4. Packing group III

14.5. Environmental hazards Marine Pollutant

14.6. Special precautions for user Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable



Marine Pollutant

**A. Method of disposal**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 9 of 11

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 15: REGULATORY INFORMATION

National Regulations

Chemical Name	Zinc Oxide
CAS NUMBER:	1314-13-2
Weight-%	>25
Korean GHS Classification	Aquatic Acute 1 Aquatic Chronic 1
Toxic Release Inventory Chemicals - Group 1	Not applicable
Toxic Release Inventory Chemicals - Group 2	Zinc and compounds
Chemical Name	Zinc Molybdenum Oxide
CAS NUMBER:	22914-58-5
Weight-%	>25
Korean GHS Classification	Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Toxic Release Inventory Chemicals - Group 1	Not applicable
Toxic Release Inventory Chemicals - Group 2	Zinc and compounds

Industrial Safety and Health Law

Occupational exposure limits (OEL) See section 8

Chemicals Control Act (CCA)

Zinc oxide (CAS 1314-13-2)

Dangerous Substances Safety Management Act

Not applicable

Wastes Control Act

Manage and dispose of waste in accordance with national and local regulations

Act on Registration, Evaluation, etc. of Chemicals (K-REACH)

For imports into Korea, please contact us at HEM.HAMregulatory@huber.com

Unconfirmed hazard substances

Not applicable

Other domestic and foreign regulations

Global Inventories

Kemgard® 911B

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 10 of 11

Chemical Name	CAS NUMBER:	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Zinc Oxide	1314-13-2	215-222-5	01-211946 3881-32	Y	Y	Y	ENCS: (1)-561 ISHL: (1)-561	KE-35565	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5	245-322-4	01-212080 0481-68-0 000	N	Y	Y	(1)-781 (ENCS)(ISHL)	KE-11910	N	N	N	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Section 16: OTHER INFORMATION

A. Source of Information

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
 IATA (International Air Transport Association)
 IMDG (International Maritime Dangerous Goods)
 IUCLID (International Uniform Chemical Information Database)
 WHMIS (Workplace Hazardous Materials Information System)
 DOT (Department of Transportation)
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 TWA (Time-Weighted Average)
 CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
 PPE (Personal Protection Equipment)
 NIOSH (National Institute for Occupational Safety and Health)
 TDG (Transport of Dangerous Goods) Canada
 CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
 RQ (Reportable Quantity) (RQ/% in mixture)
 STEL (Short Term Exposure Limit)
 TLV® (Threshold Limit Value)
 DNEL (Derived No Effect Level)
 SVHC (Substances of Very High Concern)
 BOD (Biochemical oxygen demand)
 COD (Chemical oxygen demand)
 ICAO (International Civil Aviation Organization)
 IMDG (International Maritime Dangerous Goods)
 ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
 SCBA (Self-Contained Breathing Apparatus) Positive Pressure
 PNEC (Predicted No Effect Concentration)
 TSCA (Toxic Substances Control Act)
 GHS (Globally Harmonized System)

B. Issue Date 26/Jun/2026
Print Date 26/Jun/2026

C. Number of revisions and Date 1.5.1
of most recent revision

D. Other

Safety Data Sheet

Kemgard® 911B

Issue Date 26/Jun/2026

Print Date 26/Jun/2026

Revision Number 1.5.1

Page 11 of 11

Prepared by

Huber Engineered Materials Global Regulatory Affairs
(Email – HEM.HAMRegulatory@huber.com)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet