



Kemgard® 911C-LC

GHS (Globally Harmonized System)

Measures on the Management of Toxic Chemical Substances Labelling and Safety Data Sheets. December 11, 2014.

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 1 of 11

Section 1: Identification: Product identifier and chemical identity

1.1. Product identifier

Product Name: Kemgard® 911C-LC

Pure substance/mixture Mixture

Talc

CAS Number 14807-96-6

Weight-% 75 - 90

Zinc Molybdenum Oxide

CAS Number 22914-58-5

61583-60-6

Weight-% 10 - 25

Crystalline Silica, quartz (impurity)

CAS Number 14808-60-7

Weight-% <0.1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 2 of 11**Pure substance/mixture**

Mixture

GHS Classification

Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Hazards identification**Physical Hazard**

Not classified

Health Hazards

Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard

Chronic Aquatic Toxicity Category 3

2.2. Label elements**Symbols/Pictograms****Signal Word**

Warning

Hazard StatementsMay cause damage to organs through prolonged or repeated exposure
Harmful to aquatic life with long lasting effects**Precautionary Statements****Prevention**Do not handle until all safety precautions have been read and understood
Employ good industrial hygiene practice
Do not breathe dust
Wear protective gloves/protective clothing/eye protection/face protection
Avoid release to the environment**Response**Get medical advice/attention if you feel unwell
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water**Storage**

Keep in a dry place. Store away from incompatible materials.

Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information:

Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 3 of 11

3.2. Mixture

Mixture

Chemical Name	CAS Number	Taiwan	Taiwan - GHS	EU REACH registration number	Weight-%
Talc	14807-96-6	Y	Not classified	Exempt	75 - 90
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	Y	STOT RE Cat. 2; (H373).Aquatic Acute Category 1;H400. Aquatic Chronic Cat.2; H411.	01-2120800481-68-00 00	10 - 25
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Carcinogenicity category 1A	Exempt	<0.1

Additional information

Exempt or - : this substance or its uses are exempted from REACH registration or no REACH registration obligation as annual tonnage <1tpa. TSCA A: Component is listed on Inventory as Active

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice

When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash with plenty of soap and water.

Inhalation

Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

Rinse mouth thoroughly with water.

Aspiration hazard

Not an expected route of exposure.

Notes to Physician

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 4 of 11

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture

Heating can release hazardous gases.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 5 of 11

Ensure adequate ventilation
Handle in accordance with good industrial hygiene and safety practice
Use personal protective equipment as required

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed and dry
Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

Engineering Controls:

Exposure Limit Values

Talc

ACGIH

TWA: 2 mg/m³ (respirable dust)

OSHA

TWA: 20 mppcf

Zinc Molybdenum Oxide

Taiwan

OEL: 5 mg/m³

ACGIH

TWA: 10 mg/m³ dust0.5 mg/m³ Respirable fraction

OSHA

TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)PEL: 5 mg/m³ (respirable)

Crystalline Silica, quartz (impurity)

ACGIH

TWA: 0.025 mg/m³ respirable fraction

OSHA

TWA: 0.05 mg/m³OSHA Action level: 0.025 mg/m³

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment

Eye Protection

Avoid contact with eyes Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Use suitable protective clothing, gloves and footwear, selected with regard for use conditions and exposure.

Hand Protection

Wear protective gloves.

Respiratory Protection:

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental Exposure

This product does not present any particular risk for the environment.
Check the appropriate national and local regulations. Prevent entry into sewers and waterways.

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 6 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	6.5
Melting Point / Melting Range	No information available
Melting point / Freezing point	Not applicable
Initial boiling point	No information available
Boiling Point	No information available
Freezing Point	No information available
Flash Point	No data available
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	No data available
Vapor Density	Not applicable
Vapor Density	No data available
Density	No data available
Relative Density	2.8 g/cm ³
Water Solubility	Slightly soluble
Solubility in other solvents	No information available
Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No information available
Viscosity	No information available.
Kinematic viscosity	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
Molecular Weight	Not available
Molecular Weight	Not available
Specific Gravity	2.8 (H ₂ O = 1)
VOC Content (%)	0%

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 7 of 11

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	Strong oxidizing agents Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Talc

NTP (National Toxicology Program) male rat-some evidence; female rat-clear evidence; male mice-no evidence; female mice-no evidence

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Specific target organ toxicity - Repeated exposure Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Crystalline Silica, quartz (impurity)

LD50s and LC50s 500 mg/kg Oral LD50 Rat

Oral LD50 500 mg/kg Rat Mouse

ACGIH Group 2A - Probably Carcinogenic to Humans

IARC Group 1 - Carcinogenic to Humans

Acute Toxicity Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory system

Reproductive Toxicity No data available.

Carcinogenicity Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity - No data available.

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 8 of 11**Single exposure**

Specific target organ toxicity - Repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Information on Likely Routes of Exposure

Inhalation	Avoid inhalation of the product
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects Avoid release to the environment

Talc

WGK Classification (AwSV) 1315 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

12.2. Persistence and degradability Not readily biodegradable.

12.3. Bioaccumulative potential No information available.

Partition coefficient No data available

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 9 of 11**12.6. Endocrine disrupting properties**

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes

Waste codes should be assigned by the user based on the application for which the product was used

Talc**WGK Classification (AwSV)** 1315 WGK: nwg**Crystalline Silica, quartz (impurity)****WGK Classification (AwSV)** 849 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)**TDG -Canada**

Not regulated

DOT

Not regulated

IATA

Not regulated

IMDG/IMO

Not regulated

ICAO

Not regulated

14.2. UN proper shipping name None**14.3. Transport hazard class(es)** None**14.4. Packing group** None**14.5. Environmental hazards** No**14.6. Special precautions for user** Not applicable**14.7. Maritime transport in bulk according to IMO instruments**

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 10 of 11

Not applicable

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Talc	14807-96-6	238-877-9	Exempt	Y	Y	Y	(1)-468 (ENCS)(ISHL)	KE-32773	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	01-212080 0481-68-000	N	Y	Y	(1)-781 (ENCS)(ISHL)	KE-11910	N	N	N	Y	A
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Y	Y	Y	(1)-548 (ENCS)(ISHL)	KE-29983	Y	Y	Y	Y	A

SECTION 16: Other information

Prepared byHuber Engineered Materials Global Regulatory Affairs
(Email – HEM.FRAREgulatory@huber.com).**Company:**J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300.**Issue Date**

01/Jan/2024

GHS Classification

Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Symbols/Pictograms**Signal Word**

Warning

Hazard StatementsMay cause damage to organs through prolonged or repeated exposure
Harmful to aquatic life with long lasting effects

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page 11 of 11****Hazards identification****Physical Hazard**

Not classified

Health Hazards

Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard

Chronic Aquatic Toxicity Category 3

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
SARA (Superfund Amendments and Reauthorization Act of 1986)
TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet