

Kemgard® 981

Prepared in accordance with GB/T 16483-2008, GB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013 GHS (Globally Harmonized System)

Issue Date01/Jan/2024Print Date14/Dec/2023

Revision Number 1.4.1 Page 1 of 11

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Kemgard® 981
Pure substance/mixture	Mixture
Zinc Oxide CAS Number Weight-% Zinc Phosphate CAS Number Weight-%	1314-13-2 >25 7779-90-0 >25
Recommended Use	Flame retardant Smoke suppressant
Uses advised against	None known
Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Emergency Telephone	CHEMTREC China: 4001-204937 (Mandarin) Local call: +86 532 5879 2008
E-mail	hubermaterials@huber.com
Internet	www.huberadvancedmaterials.com

Section 2: HAZARDS IDENTIFICATION

GHS	Classification
-----	----------------

Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Acute Aquatic Toxicity Category 1 Chronic Aquatic Toxicity Category 1
Label Elements	

Symbols/Pictograms

Safety Data Sheet

Kemgard® 981

Issue Date01/Jan/2024Print Date14/Dec/2023

Revision Number 1.4.1 Page 2 of 11

Signal Word	Warning
Hazard Statement	H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention	P202 - Do not handle until all safety precautions have been read and understood P273 - Avoid release to the environment
Response	P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower] P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Spills and Leaks	P391 - Collect spillage
Storage	Store in a dry place Store away from incompatible materials.
Disposal	P501 - Dispose of contents/containers in accordance with local regulations
General Advice	In case of doubt or when symptoms persist, seek medical attention.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	EU REACH registration number	Weight-%
Zinc Oxide	1314-13-2	Y	Acute Aquatic Toxicity Category 1 Chronic Aquatic Toxicity Category 1	A	01-2119463881-32	>25
Zinc Phosphate	7779-90-0	Y		A	01-2119485044-40	>25

Section 4: FIRST AID MEASURES

Safety Data Sheet

Kemgard® 981

Issue Date	01/Jan/2024
Print Date	14/Dec/2023

Revision Number 1.4.1 Page 3 of 11

General Advice	In case of doubt or when symptoms persist, seek medical attention.
Eye Contact	Hold eyelids apart and flush eyes with a steady, gentle stream of water for several minutes.
Skin Contact	IF ON SKIN: Wash with plenty of soap and water
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious)
Notes to Physician	Treat symptomatically
Personal Protective Equipment For First Aid Responders	Wear suitable protective clothing
Expected acute symptoms and	None known

Expected acute symptoms and None known delayed symptoms

Section 5: FIRE FIGHTING MEASURES

Flammable Properties	None known
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known
Specific Hazards Arising from the Chemical	None known
Unusual fire & explosion hazards:	None
Protective measures:	Use protective equipment that is appropriate for surrounding materials.
Protective Equipment and Precautions for Firefighters	Wear self-contained breathing apparatus and protective suit

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid dust formation In case of exposure to high levels of airborne dust, wear a personal respirator in compliance with national legislation.
Environmental Precautions	Very toxic to aquatic life Toxic to aquatic life with long lasting effects Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

Safety Data Sheet

Kemgard® 981

Issue Date 01/Jan/2024 Print Date 14/Dec/2023 Revision Number 1.4.1 Page 4 of 11

Methods for cleaning up	Sweep or vacuum spilled material The use of water wash down is not recommended unless the spilled material is already wet.
Other Information:	Personal protection equipment (PPE) Refer to Section 8

Section 7: HANDLING AND STORAGE

Handling	Handle in accordance with good industrial hygiene and safety practice.
Storage	Store in a dry area. Keep containers closed and protect from physical damage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Provide adequate ventilation as well as local exhaustion at critical locations

ChinaSTEL: 5 MG/M3 TWA: 3 mg/m3ACGIHSTEL: 10 mg/m3 (respirable) TWA: 2 mg/m3 (respirable) NIOSHNIOSHCelling: 15 mg/m3 (total dust) STEL: 10 mg/m3 (total dust) STEL: 15 mg/m3 Total Dust 5 mg/m3 Total Dust 5 mg/m3 Respirable DustZinc Phosphate OSHADo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body Protection Hand ProtectionWear suitable protective clothingHand Protection Haygiene MeasuresWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene Measures ControlsUses of in accordance with local regulations Do not empty into drains or water courses	Zinc Oxide	
ACGIHSTEL: 10 mg/m³ (respirable) TWA: 2 mg/m³ (respirable) Celling; 15 mg/m³ (total dust) STEL: 10 mg/m³ (total dust) STEL: 10 mg/m³ (total dust) STEL: 10 mg/m³ (total dust) STEL: 10 mg/m³ (total dust) Smg/m³ (total dust) 5 mg/m³ (respirable fraction)Zinc Phosphate OSHADo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Kin and Body ProtectionWear suitable protective clothingHand ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	China	STEL: 5 MG/M3
NIOSHTWA: 2 mg/m² (respirable) Celling: 15 mg/m² (total dust) STEL: 10 mg/m² (total dust) TWA: 5 mg/m² (total dust) TWA: 5 mg/m² (total dust) 5 mg/m² (total dust) 5 mg/m² (total dust) 5 mg/m² (total dust) 5 mg/m² (total dust) 6 mg/m² (total dust) 5 mg/m² (total dust) 6 mg/m² (total dust) 7 mg/m² (ACGIH	
STEL: 10 mg/m³(tune) TWA: 5 mg/m³ (total dust) 5 mg/m³ (tespirable fraction)Zinc Phosphate OSHA15 mg/m³ (tatal dust) 5 mg/m³ Total Dust 5 mg/m³ Total Dust 5 mg/m³ Total DustEngineering MeasuresDo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		TWA: 2 mg/m ³ (respirable)
OSHATWA: 5 mg/m³ (total dust) 5 mg/m³ (total dust)Zinc Phosphate OSHA15 mg/m³ (total dust) 5 mg/m³ (total dust) 5 mg/m³ Respirable DustEngineering MeasuresDo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body Protection Hand ProtectionProtective glovesRespiratory Protection appropriate certified respirators.When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practice	NIOSH	
OSHAPEL: 15 mg/m3 (total dust) 5 mg/m3 (respirable fraction)Zinc Phosphate OSHA15 mg/m3 Total Dust 5 mg/m3 Respirable DustEngineering MeasuresDo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		
Zinc Phosphate OSHA15 mg/m³ Total Dust 5 mg/m³ Respirable DustEngineering MeasuresDo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	OSHA	PEL: 15 mg/m ³ (total dust)
OSHA15 mg/m³ Total Dust 5 mg/m³ Respirable DustEngineering MeasuresDo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body Protection Hand ProtectionProtective glovesRespiratory Protection appropriate certified respirators.When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		5 mg/m ³ (respirable fraction)
S mg/m³ Respirable DustEngineering MeasuresDo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		15 ma/m ³ Tatal Dust
Engineering MeasuresDo not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body Protection Hand ProtectionWear suitable protective clothingProtective glovesProtective glovesRespiratory Protection Hygiene MeasuresWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresDispose of in accordance with local regulations	OSIA	
Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body Protection Hand ProtectionWear suitable protective clothingProtective glovesWean workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		с ,
Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body Protection Hand ProtectionWear suitable protective clothingProtective glovesWean workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		
Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective EquipmentWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	Engineering Measures	
Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipmentPersonal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body Protection Hand ProtectionWear suitable protective clothingProtective glovesProtective glovesRespiratory Protection Hygiene MeasuresWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		
Personal Protective EquipmentPersonal Protective EquipmentEye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygieneEnvironmental ExposureDispose of in accordance with local regulations		
Personal Protective Equipment Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		
Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		In case of insufficient ventilation, wear suitable respiratory equipment
Eye/Face ProtectionWear safety glasses with side shields (or goggles)Skin and Body ProtectionWear suitable protective clothingHand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	Personal Protective Equipment	
Hand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		
Hand ProtectionProtective glovesRespiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	-	
Respiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	Skin and Body Protection	Wear suitable protective clothing
Respiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	Hand Protection	Protective aloves
Appropriate certified respirators.Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations		
Hygiene MeasuresWash off with soap and water. Handle in accordance with good industrial hygiene and safety practiceEnvironmental ExposureDispose of in accordance with local regulations	Respiratory Protection	
and safety practice Environmental Exposure Dispose of in accordance with local regulations		appropriate certified respirators.
and safety practice Environmental Exposure Dispose of in accordance with local regulations	Hygiene Measures	Wash off with soap and water. Handle in accordance with good industrial bygiene
Environmental Exposure Dispose of in accordance with local regulations	nygione medeal ee	
Controls Do not empty into drains or water courses	•	
	Controls	Do not empty into drains or water courses

Kemgard® 981

Issue Date01/Jan/2024Print Date14/Dec/2023

Revision Number 1.4.1 Page 5 of 11

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic phy	vsical and chemical properties
Appearance:	
	0.11.1

Physical State	Solid
-	Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	6.5
Melting Point / Melting Range	Not applicable
Freezing Point	Not applicable
Boiling Point	No information available
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Density	Not applicable
Relative Density	
Water Solubility	Slightly soluble
Solubility in other solvents	
Partition coefficient	
Autoignition Temperature	Not applicable
Decomposition Temperature	

Specific Gravity VOC Content (%) 4.2 g/cm3, 20° C Not applicable

Section 10: STABILITY AND REACTIVITY

Stability	Stable
Conditions to avoid:	None known
Incompatible materials	None known
Hazardous decomposition products	By Fire: Carbon dioxide Carbon monoxide Oxides of Metals in composition
Hazardous Reactions	None under normal processing
Hazardous polymerization:	None under normal processing

Kemgard® 981

Issue Date 01/Jan/2024 Print Date 14/Dec/2023 Revision Number 1.4.1 Page 6 of 11

Section 11: TOXICOLOGICAL INFORMATION

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
Product Information	
Information on Likely Routes of	Exposure
Eyes	Dust contact with the eyes can lead to mechanical irritation
Skin	No known hazard in contact with skin
Inhalation	May cause respiratory tract irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Based on available data, the classification criteria are not met.
Symptoms related to the physical, chemical and toxicological characteristics	Dust may cause mechanical irritation to eyes.

11.1. Information on toxicological effects

Zinc Oxide Oral LD50 Zinc Phosphate Oral LD50	7950 mg/kg Rat > 5000 mg/kg Rat
Acute Toxicity	Low hazard for usual industrial or commercial handling
Chronic Toxicity	No data available.
Chronic Effects	No data available.
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Respiratory Sensitization	Does not cause sensitization
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Not a skin sensitizer
Mutagenicity	No information available.
Germ cell mutagenicity	No information available.
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.

Safety Data Sheet

Kemgard® 981

Issue Date 01/Jan/2024 Print Date 14/Dec/2023	Revision Number 1.4.1 Page 7 of 11
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Skin. Eyes. Respiratory system.
Specific target organ toxicity - Single exposure	Not classified.
Specific target organ toxicity - Repeated exposure	Not classified.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	Very toxic to aquatic life with long lasting effects.				
Persistence/Degradability:	No data available.				
Bioaccumulative Potential	This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).				
Partition coefficient Bioconcentration factor (BCF)	Not available No data available.				
Mobility in soil	No data available.				
Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.				
Other Adverse Effects	None known				

Section 13: DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products	Dispose of in accordance with local regulations
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

Kemgard® 981

Issue Date	01/Jan/2024
Print Date	14/Dec/2023

Revision Number 1.4.1 Page 8 of 11

DOT	Not regulated in non-bulk packages (<119 gal) UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide, Zinc phosphate)
ADR	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide, Zinc phosphate)
RID	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide, Zinc phosphate)
ADN	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide, Zinc phosphate)
ΙΑΤΑ	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide, Zinc phosphate)
IMDG/IMO	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zincoxide, Zinc phosphate)
ICAO	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide, Zinc phosphate)
14.1. UN number	UN3077
14.2. UN proper shipping name	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide, Zinc phosphate)
14.3. Transport hazard class(es)	9
Subsidiary Risk	-
14.4. Packing group	III
14.5. Environmental hazards	Yes : Marine Pollutant

14.6. Special precautions for Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



user

Marine Pollutant

Safety Data Sheet

Kemgard® 981

Issue Date01/Jan/2024Print Date14/Dec/2023

Revision Number 1.4.1 Page 9 of 11



Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippin es (PICCS)	Taiwan	TSCA: United States
Zinc Oxide	1314-13-2	215-222-5	01-211946388 1-32	Y	Y	Y	ENCS: (1)-561 ISHL: (1)-561	KE-35565	Y	Y	Y	Y	A
Zinc Phosphate	7779-90-0	231-944-3	01-211948504 4-40	Y	Ŷ	Ŷ	(1)-526 (ENCS) (1)-1181 (ENCS)	KE-34945	Zinc salts	Ŷ	Ŷ	Ŷ	A

Safety Data Sheet

Kemgard® 981

Issue Date 01/Jan/2024 Print Date 14/Dec/2023 Revision Number 1.4.1 Page 10 of 11

Section 16: OTHER INFORMATION

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com
Reason for Revision	GB/T 16483-2008 GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013
GHS Classification	
Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Acute Aquatic Toxicity Category 1 Chronic Aquatic Toxicity Category 1
Label Elements	
Symbols/Pictograms	
Signal Word	Warning
Hazard Statement	H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects
Abbreviations and acronyms	 IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value)

Kemgard® 981

Issue Date01/Jan/2024Print Date14/Dec/2023

Revision Number 1.4.1 Page 11 of 11

DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail) SARA (Superfund Amendments and Reauthorization Act of 1986) TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet