

Kemgard® MZM

GHS (Globally Harmonized System)

Measures on the Management of Toxic Chemical Substances Labelling and Safety Data Sheets. December 11, 2014.

Issue Date 01/Jan/2024 Revision Number 1.4.3

Print Date 14/Dec/2023 Page 1 of 11

Section 1: Identification: Product identifier and chemical identity

1.1. Product identifier

Product Name: Kemgard® MZM

Pure substance/mixture Mixture

Magnesium Hydroxide

CAS Number 1309-42-8 **Weight-%** > 75

Zinc Molybdenum Oxide

CAS Number 22914-58-5 61583-60-6

01303-00⁻

Weight-% < 25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Pure substance/mixture Mixture

Safety Data Sheet

Kemgard® MZM

Issue Date 01/Jan/2024 Revision Number 1.4.3 Print Date 14/Dec/2023

Page 2 of 11

Considered a hazardous substance or mixture according to the Globally **GHS Classification**

Harmonized System (GHS)

Hazards identification

Physical Hazard Not classified

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard Chronic Aquatic Toxicity Category 3

2.2. Label elements

Symbols/Pictograms



Signal Word Warning

Hazard Statements May cause damage to organs through prolonged or repeated exposure

Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention Do not handle until all safety precautions have been read and understood

Employ good industrial hygiene practice

Do not breathe dust

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

Get medical advice/attention if you feel unwell Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Keep in a dry place. Storage

Dispose of contents/containers in accordance with local regulations. See Section Disposal

13: DISPOSAL CONSIDERATIONS.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1. Substance Not applicable

3.2. Mixture Mixture

Kemgard® MZM

Issue Date 01/Jan/2024 Revision Number 1.4.3 Print Date 14/Dec/2023

Page 3 of 11

Chemical Name	CAS Number	Taiwan	Taiwan - GHS	EU REACH registration number	Weight-%
Magnesium Hydroxide	1309-42-8	Y	Not classified	01-2119488756-18-00 40	> 75
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	Y	STOT RE Cat. 2; (H373).Aquatic Acute Category 1;H400. Aquatic Chronic Cat.2; H411.		< 25

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

Wash with plenty of soap and water. **Skin Contact**

Inhalation Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

Rinse mouth thoroughly with water. Ingestion

Aspiration hazard Not an expected route of exposure.

Notes to Physician Treat symptomatically.

4.2. Most important symptoms and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

4.3. Indication of any immediate Treat symptomatically. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of

contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Safety Data Sheet

Kemgard® MZM

Issue Date 01/Jan/2024 Revision Number 1.4.3 Print Date 14/Dec/2023

Page 4 of 11

Unsuitable Extinguishing Media

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture

Non-combustible.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use

Do not handle until all safety precautions have been read and understood.

Minimize dust generation and accumulation

Ensure adequate ventilation

Handle in accordance with good industrial hygiene and safety practice

Use personal protective equipment as required

7.2. Conditions for safe storage. Keep container tightly closed and dry including any incompatibilities Store away from incompatible materials

Kemgard® MZM

Issue Date 01/Jan/2024 Revision Number 1.4.3 Print Date 14/Dec/2023

Page 5 of 11

SECTION 8: Exposure controls/personal protection

Engineering Controls:

Exposure Limit Values Magnesium Hydroxide

> Taiwan OEL: Not established

ACGIH TLV-TWA: 8-hr: 10 mg/m3 (total dust)

3 mg/m³ (respirable fraction) TWA: 15 mg/m³ total dust

5 mg/m3 respirable

Zinc Molybdenum Oxide

OSHA

OEL: 5 mg/m³ Taiwan TWA: 10 mg/m3 dust **ACGIH**

0.5 mg/m³ Respirable fraction

OSHA TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)

PEL: 5 mg/m³ (respirable)

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment

Eye Protection Avoid contact with eyes Wear safety glasses with side shields (or goggles)

Skin and Body Protection Use suitable protective clothing, gloves and footwear, selected with regard for use

conditions and exposure.

Hand Protection Avoid contact

Respiratory Protection: Avoid breathing dust. Use NIOSH / OSHA approved respirator where ventilation is

> not possible and exposure limits for wood dust may be exceeded. In case of exposure to high levels of airborne mist, wear a respirator in compliance with

national legislation. EN 149, P2 Half-mask

Hygiene Measures Wash off with soap and water. Handle in accordance with good industrial hygiene

and safety practice

Environmental Exposure This product does not present any particular risk for the environment.

Check the appropriate national and local regulations. Prevent entry into sewers

and waterways.

SECTION 9: Physical and chemical properties

Safety Data Sheet

Kemgard® MZM

Issue Date 01/Jan/2024 Revision Number 1.4.3 Print Date 14/Dec/2023

Page 6 of 11

Appearance:

Solid Powder **Physical State** Color White Odorless Odor

Odor Threshold No information available

:Ha 9.4

Melting point / Freezing point Not applicable Not applicable **Freezing Point Flash Point** Not applicable **Evaporation Rate** Not applicable. Not applicable Flammability (solid, gas)

Upper flammability limit: Lower flammability limit:

Vapor Pressure Not applicable **Vapor Density** Not applicable **Vapor Density** Not applicable **Density** No data available No data available **Relative Density** Water Solubility Slightly soluble

Solubility in other solvents No information available **Partition coefficient** No data available

Autoignition Temperature Not applicable

Decomposition Temperature 1292 - 1652 °F (700 - 900 °C) **Viscosity** No information available.

Kinematic viscosity Not applicable Not applicable **Oxidizing Properties**

No information available **Particle Size**

2.63 (H2O = 1)**Specific Gravity VOC Content (%)** Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

Stable under normal conditions 10.1. Reactivity

Stable under normal conditions 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No information available

10.4. Conditions to avoid Dust formation Incompatible materials

Strong oxidizing agents 10.5. Incompatible materials

Safety Data Sheet

Kemgard® MZM

Issue Date 01/Jan/2024 Revision Number 1.4.3 Print Date 14/Dec/2023

Page 7 of 11

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Magnesium Hydroxide

8500 mg/kg Rat Oral LD50

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

Not Listed **IARC**

Specific target organ toxicity Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at

- Repeated exposure 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Acute Toxicity Based on available data, the classification criteria are not met

Respiratory Sensitization No data available

Serious eye damage/eye

irritation

Dust may cause mechanical irritation to eyes

Skin Sensitization No data available

There are no known carcinogenic chemicals in this product. Carcinogenicity

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity -

Single exposure

Repeated exposure

No data available.

Specific target organ toxicity -

May cause damage to organs through prolonged or repeated exposure if inhaled.

Kidney.

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Ingestion Ingestion is not a likely route of exposure

Prolonged or repeated contact may dry skin and cause irritation Skin

Dust contact with the eyes can lead to mechanical irritation **Eyes**

Aspiration hazard Not an expected route of exposure.

Safety Data Sheet

Kemgard® MZM

Issue Date 01/Jan/2024 Revision Number 1.4.3
Print Date 14/Dec/2023 Page 8 of 11

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects Avoid release to the environment

Magnesium Hydroxide

WGK Classification (AwSV) 5209 WGK: nwg

12.2. Persistence and No data available.

degradability

12.3. Bioaccumulative potential No data available.

Partition coefficient No data available

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

No data available.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal MethodsDisposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

Kemgard® MZM

Revision Number 1.4.3 Issue Date 01/Jan/2024 Print Date 14/Dec/2023

Page 9 of 11

the product was used

Magnesium Hydroxide

European Waste Catalog 060299

WGK Classification (AwSV) 5209 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated Not regulated DOT ADR Not regulated Not regulated RID Not regulated **ADN** Not regulated **IATA** IMDG/IMO Not regulated **ICAO** Not regulated

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Magnesium Hydroxide	1309-42-8	215-170-3	01-211948 8756-18-0 040		Υ	Y	(1)-386 (ENCS) (ISHL)	KE-22716	Y	Y	Y	Υ	А
Zinc Molybdenum Oxide	22914-58- 5 61583-60- 6		01-212080 0481-68-0 000		Y	Y	(1)-781 (ENCS)(IS HL)	KE-11910	N	N	N	Υ	A

Safety Data Sheet

Kemgard® MZM

Issue Date 01/Jan/2024 Print Date 14/Dec/2023 Revision Number 1.4.3 Page 10 of 11

SECTION 16: Other information

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com.

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300.

Issue Date 01/Jan/2024

GHS Classification Considered a hazardous substance or mixture according to the Globally

Harmonized System (GHS)

Symbols/Pictograms



Signal Word Warning

Hazard Statements May cause damage to organs through prolonged or repeated exposure

Harmful to aquatic life with long lasting effects

Hazards identification

Physical Hazard Not classified

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard Chronic Aquatic Toxicity Category 3

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

Safety Data Sheet

Kemgard® MZM

Issue Date 01/Jan/2024 Print Date 14/Dec/2023 Revision Number 1.4.3 Page 11 of 11

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

SARA (Superfund Amendments and Reauthorization Act of 1986)

TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet