# ADVANCED **MATERIALS**

### **Safety Data Sheet**

#### Martoxid® KMS-997

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 **COMMISSION REGULATION (EU) No. 2020/878** 

Issue Date 10/Oct/2025 **Revision Number** 1.3.1 Print Date 10/Oct/2025

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Product Name:** Martoxid® KMS-997

**Chemical Name** Preparation: Al2 O3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Industrial. Recommended Use

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer MARTINSWERK GmbH

> Kölner Strasse 110 50127 Bergheim

Germany

Tel.: +49-2271-90.22.78 Fax.: +49-2271-90.27.17

www.huberadvancedmaterials.com Internet

www.huberadvancedmaterials.com/contact **Contact E-Mail** 

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

Poison control center phone

number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons

Information Service)

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified.

Hazards identification

Not classified. **Physical Hazard** 

**Health Hazards** Not classified.

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1 Print Date 10/Oct/2025

Page 2 of 12

Not classified. **Environmental Hazard** 

2.2. Label elements

Symbols/Pictograms None

**Signal Word** None

**Hazard Statements** This product is not classified as hazardous according to the UN GHS guideline and

labeling is not required

**Precautionary Statements** 

Employ good industrial hygiene practice Prevention

Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

> lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

**Storage** Keep in a dry place

Store away from incompatible materials

Disposal should be in accordance with applicable regional, national and local laws **Disposal** 

and regulations.

**Additional Information:** None.

No information available 2.3. Other hazards

# **SECTION 3: Composition/information on ingredients**

3.1. Substance Not applicable

3.2. Mixture Mixture

Chemical Name	CAS NUMBER:	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum oxide	1344-28-1	215-691-6	Not classified.	>96

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General Advice** When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1

Print Date 10/Oct/2025 Page 3 of 12

In case of eye contact, remove contact lens and rinse immediately with plenty of **Eye Contact** 

water, also under the eyelids, for at least 15 minutes.

Wash with plenty of soap and water. **Skin Contact** 

If breathing is difficult, remove victim to fresh air and keep at rest in a position Inhalation

comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

**Aspiration hazard** Not an expected route of exposure.

**Notes to Physician** Treat symptomatically.

4.2. Most important symptoms

and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

**4.3.** Indication of any immediate Treatment should be symptomatic and supportive.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable Extinguishing

### Media

Not combustible. Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

### **Unsuitable Extinguishing Media**

None known.

#### 5.2. Special hazards arising from the substance or mixture

None known.

### 5.3. Advice for firefighters

### Special protective

#### equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

### **SECTION 6: Accidental release measures**

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1 Print Date 10/Oct/2025

Page 4 of 12

6.1. Personal precautions. protective equipment and emergency procedures

containment and cleaning up

Ensure adequate ventilation. Use personal protection recommended in Section 8.

Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

**6.2. Environmental precautions** Avoid runoff to waterways and sewers.

6.3. Methods and material for Methods for Containment: Prevent further leakage or spillage if safe to do so

Methods for Clean-up: Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe Minimize dust generation and accumulation

Provide local exhaust ventilation handling

Handle in accordance with good industrial hygiene and safety practice

**7.2. Conditions for safe storage**, Store away from incompatible materials including any incompatibilities Keep container tightly closed and dry

7.3. Specific end use(s) No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

Aluminum oxide

**ACGIH** TWA: 10 mg/m<sup>3</sup>

TWA: 15 mg/m<sup>3</sup> total dust **OSHA** 

TWA: 5 mg/m<sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m3 total dust (vacated) TWA: 5 mg/m<sup>3</sup> respirable fraction

NIOSH Not established

TWA: 5 mg/m<sup>3</sup> respirable fraction, smoke Austria Austria STEL: 10 mg/m<sup>3</sup> respirable fraction, smoke

Belgium TWA: 1 mg/m<sup>3</sup>

Bulgaria TWA: 1.5MGM3;Respirable fraction.

10.0MGM3;Dust.

Croatia TWA: 10 mg/m<sup>3</sup> total dust

4 mg/m<sup>3</sup> respirable dust

Czech Republic TWA: 10.0 mg/m<sup>3</sup> dust Hungary

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1 Print Date 10/Oct/2025

Page 5 of 12

**Denmark** TWA: 5 mg/m3 total

2 mg/m<sup>3</sup> respirable

**Estonia** TWA: 10 mg/m<sup>3</sup> total dust

4 mg/m<sup>3</sup> respirable dust

TWA: 2 mg/m<sup>3</sup> Al **Finland** VME/VLE: 10MGM3 France

DFG MAK: 8-hr TWA: 4 mg/m³: haltige Stäube (alveolengängige Fraktion)[4 mg/m³: Germany

inhalable dust fraction ]

1.5 mg/m³ haltige Stäube (einatembare Fraktion)[1.5MGM3 : respirable dust fraction]

TRGS 900 limit: 3 mg/m3: respirable; 10MG/M3 inhalable

Greece TWA: 10 mg/m<sup>3</sup> inhalable fraction

5 mg/m<sup>3</sup> respirable fraction TWA: 6 mg/m<sup>3</sup> respirable dust TWA: 10 mg/m<sup>3</sup> total inhalable dust

Ireland 4 mg/m3 respirable dust 30 mg/m3 total inhalable dust Ireland

12 mg/m<sup>3</sup> respirable dust

TWA: 1MGM3;Respirable. Italy

TWA: 6 mg/m<sup>3</sup> disintegration aerosol Latvia TWA: 5 mg/m<sup>3</sup> Al inhalable fraction Lithuania

2 mg/m<sup>3</sup> Al respirable fraction

MAC TWA: 10 mg/m<sup>3</sup> Netherlands TWA: 10 mg/m<sup>3</sup> **Norway** STEL: 10 mg/m<sup>3</sup> Norway

TWA: 2.5 mg/m³ inhalable fraction Poland

1.2 mg/m<sup>3</sup> respirable fraction

Portugal TWA: 10 mg/m³ particulate matter containing no Asbestos and <1% Crystalline silica

Romania TWA: 2 mg/m<sup>3</sup> aerosol

3 mg/m<sup>3</sup>

 $1 \text{ mg/m}^3$ 

STEL: 5 mg/m3 aerosol Romania

10 mg/m<sup>3</sup> dust 3 mg/m³ fume

TWA: 1.5 mg/m<sup>3</sup> fume Slovakia

1.5 mg/m<sup>3</sup>

0.1 mg/m3 respirable fraction 6 mg/m3 total aerosol

TWA: 10 mg/m<sup>3</sup> **Spain** 

TWA: 5 mg/m<sup>3</sup> total dust Sweden 2 mg/m3 respirable dust

**Switzerland** TWA: 3 mg/m<sup>3</sup> respirable dust, smoke STEL: 24 mg/m³ respirable dust, smoke **Switzerland** 

TWA: 10 mg/m<sup>3</sup> inhalable dust **United Kingdom** 

4 mg/m3 respirable dust

Recommended monitoring

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

**Biological Limit Values** None

**DNEL/DMEL** and PNEC values

Aluminum oxide

Worker - inhalative, long-term	lative, long-term 3 mg/m³								
- systemic									
Consumer - oral, long-term -	1.32 mg/kg bw/d								
systemic									

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1 Print Date 10/Oct/2025

Page 6 of 12

### **PNEC (Predicted No Effect Concentration)**

8.2. Exposure controls

**Engineering Measures** Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection** Wear suitable protective clothing.

For operations where prolonged or repeated skin contact may occur, impervious Hand protection

gloves should be worn. Wear suitable gloves tested to EN 374.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Recommended filter type:

(FFP2) (FFP3)

Thermal hazards None known.

**Hygiene Measures** Follow general hygiene considerations recognized as common good workplace

practices

The worker should wash daily at the end of each work shift, and prior to eating,

drinking, smoking, etc

**Environmental Exposure** 

**Controls** 

Dispose of in accordance with local regulations

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:

**Physical State** Solid Powder Color White (Al203) Odor Odorless

pH: +/- 9 (10 % / H2O)

Melting point / Freezing point 2000 °C (3632 °F) (1013 hPa) Initial boiling point and boiling 2980 °C (5396 °F) (1013 hPa)

range

# **Safety Data Sheet**

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1

Print Date 10/Oct/2025 Page 7 of 12

Freezing Point Not applicable

Flash Point Not applicable Product/Substance is inorganic Solid Melting Point : > 300°C

Flammability No information available

Upper flammability limit: --Lower flammability limit: ---

**Vapor Pressure** 1 hPa (2158 °C) **Relative Vapor Density** Not applicable

Melting Point: > 300°C

Density

Relative Density

Melting Point: > 300°C

No data available

+/- 3.7 - 3.9

Water Solubility Insoluble

Solubility in other solvents No information available

Partition coefficient No information available Not applicable : Product/Substance is inorganic

Autoignition TemperatureNo data availableNo information availableDecomposition TemperatureNo data availableNo information available

**Viscosity** No information available.

Kinematic viscosity

Dynamic viscosity

Not applicable
Not applicable Solid

**Explosive Properties** None **Oxidizing Properties** None

Particle Characteristics No information available

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** No data available

**10.2. Chemical stability** Stable under normal conditions

10.3. Possibility of hazardous

reactions

None under normal processing

**10.4. Conditions to avoid** Incompatible materials Decomposition Temperature : Al<sub>2</sub> O<sub>3</sub> Water

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition None known

products

### **SECTION 11: Toxicological information**

# **Safety Data Sheet**

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1
Print Date 10/Oct/2025 Page 8 of 12

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on toxicological effects

**Aluminum oxide** 

Serious eye damage/eye

irritation

Skin Corrosion/Irritation

Mutagenicity

Reproductive Effects

Non-irritant : Rabbit

Non-irritant : Rabbit Based on available data, the classification criteria are not met.

No indication of effects on fertility.

No indication of effects on developmental toxicity.

Acute Toxicity Mixture

Al<sub>2</sub> O<sub>3</sub>

Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect

level) 70 mg(Al)/m<sup>3</sup>. Target Organs Lungs Respiratory system

Repeated dose toxicity 1- Year Oral Rat NOAEL (No observed adverse effect

level) >=30 mg Al/kg bw

**Respiratory Sensitization** Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Non-irritant : Rabbit

Skin Corrosion/Irritation Non-irritant : Rabbit

**Skin Sensitization** Based on available data, the classification criteria are not met.

**Mutagenicity** Based on available data, the classification criteria are not met.

**Reproductive Effects** Based on available data, the classification criteria are not met.

**Reproductive Toxicity** Based on available data, the classification criteria are not met.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed

by OSHA, IARC or NTP.

Target Organ Effects Lungs.

Specific target organ toxicity -

Single exposure

No information available.

Specific target organ toxicity -

Repeated exposure

No information available.

Information on Likely Routes of Exposure

**Inhalation** Do not breathe dust

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1 Print Date 10/Oct/2025

Page 9 of 12

Ingestion Ingestion is not a likely route of exposure

Skin Avoid prolonged or repeated contact with skin

Contact with dust can cause mechanical irritation or drying of the skin

**Eyes** Avoid contact with eyes

Dust contact with the eyes can lead to mechanical irritation

**Aspiration hazard** Not an expected route of exposure.

11.2. Information on other hazards

No endocrine disruptors present in concentrations >= 0.1% 11.2.1. Endocrine disrupting

properties

11.2.2. Other information Not applicable

### **SECTION 12: Ecological information**

Not considered to be harmful to aquatic life 12.1. Toxicity

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

12.2. Persistence and The methods for determining biodegradability are not applicable to inorganic

degradability substances.

**12.3. Bioaccumulative potential** Not likely to bioaccumulate.

**Bioconcentration factor** 

(BCF)

No data available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB This substance does not meet the criteria for classification as PBT or vPvB.

assessment

12.6. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1 Print Date 10/Oct/2025

Page 10 of 12

**Disposal Methods** Disposal should be in accordance with applicable regional, national and local laws

and regulations.

**Contaminated Packaging** Empty containers should be taken to an approved waste handling site for recycling

or disposal. Do not reuse container.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

### **SECTION 14: Transport information**

### Mode of Transportation (Road, Water, Air, Rail)

**TDG** -Canada Not regulated DOT Not regulated **ADR** Not regulated Not regulated IATA Not regulated IMDG/IMO Not regulated **ICAO** 

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Global Inventories**

0	=										-	
Chemical Name ICAS	I EC No	l Australia I C	Canada I	China	Japan	S. Korea	Mexico	l Thailand	New	<b>IPhilippinel</b>	Taiwan	TSCA:

# Safety Data Sheet

### Martoxid® KMS-997

Issue Date 10/Oct/2025 Revision Number 1.3.1 Print Date 10/Oct/2025

Page 11 of 12

	NUMBER:		(AIIC)	(DSL)	(IECSC)		(KECL)		(TECI)	Zealand	s (PICCS)		United States
Aluminum oxide	1344-28-1	215-691-6	Υ	Y	Υ	(1)-23	KE-01012	Υ	55-1-0151	Υ	Υ	Υ	Α
						(ENCS)(IS			8				
						HL)							

X / Y: Complies; A: Active; - / N: Exempt / Not Listed

#### REACH No.

Aluminum oxide

EU REACH registration number 01-2119529248-35-xxxx

01-2119529248-35-0017

Turkish KKDIK pre-registration 05-0000192736-20-0000

Germany

Very low solubility Not considered to be harmful to aquatic life

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

### **SECTION 16: Other information**

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

10/Oct/2025 **Issue Date Print Date** 10/Oct/2025

1.3.1 **Revision Number** 

Prepared by **Huber Engineered Materials Global Regulatory Affairs** 

(Email – HEM.HAMRegulatory@huber.com).

(CLP) Regulation (EC 1272/2008) Not classified.

Labeling

Symbols/Pictograms None

Signal Word None

This product is not classified as hazardous according to the UN GHS guideline and **Hazard Statements** 

labeling is not required

Do not handle until all safety precautions have been read and understood. **Training Advice** 

IARC (International Agency for Research on Cancer) Abbreviations and acronyms

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

# **Safety Data Sheet**

### Martoxid® KMS-997

**Issue Date** 10/Oct/2025 **Print Date** 10/Oct/2025

Revision Number 1.3.1 Page 12 of 12

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

DOT (Department of Transportation)

TDG (Transport of Dangerous Goods) Canada

PNEC (Predicted No Effect Concentration)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System)

TSCA (Toxic Substances Control Act)

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**