



Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 22/May/2026
Print Date 22/May/2026

Revision Number 1.3.1
Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Chemical Name Aluminum Oxide

Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Chemical industry (raw material for the production of other aluminium compounds), etc. Absorbent, purification of process liquids and gases, etc.

Industrial use --

Professional use --

Consumer use --

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 2 of 13

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified.

Hazards identification

Physical Hazard	Not classified.
Health Hazards	Not classified.
Environmental Hazard	Not classified.

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required

Precautionary Statements

Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information: None.

2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration
This product does not contain any known or suspected endocrine disruptors

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 3 of 13

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance

Chemical Name	CAS NUMBER:	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum oxide	1344-28-1	215-691-6	Not classified	>99

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice

When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash with plenty of soap and water.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

Rinse mouth thoroughly with water.

Aspiration hazard

Not an expected route of exposure.

Notes to Physician

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 4 of 13

Suitable Extinguishing

Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities Store away from incompatible materials
Keep container tightly closed and dry

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 5 of 13

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum oxide

ACGIH

TWA: 10 mg/m³

OSHA

TWA: 15 mg/m³ total dust

TWA: 5 mg/m³ respirable fraction

(vacated) TWA: 10 mg/m³ total dust

(vacated) TWA: 5 mg/m³ respirable fraction

NIOSH

Not established

Austria

TWA: 5 mg/m³ respirable fraction, smoke

Austria

STEL: 10 mg/m³ respirable fraction, smoke

Belgium

TWA: 1 mg/m³

Bulgaria

TWA: 1.5MGM3;Respirable fraction.

10.0MGM3;Dust.

Croatia

TWA: 10 mg/m³ total dust

4 mg/m³ respirable dust

Czech Republic

TWA: 10.0 mg/m³ dust

Denmark

TWA: 5 mg/m³ total

2 mg/m³ respirable

Estonia

TWA: 10 mg/m³ total dust

4 mg/m³ respirable dust

Finland

TWA: 2 mg/m³ Al

France

VME/VLE: 10MGM3

Germany

TWA 4 mg/m³ Inhalable fraction 1.5 mg/m³ Respirable dust

TRGS 900 3 mg/m³ Respirable dust 10 mg/m³ Inhalable fraction

Germany

1.25 mg/m³

10 mg/m³

Greece

TWA: 10 mg/m³ inhalable fraction

5 mg/m³ respirable fraction

Hungary

TWA: 6 mg/m³ respirable dust

Ireland

TWA: 10 mg/m³ total inhalable dust

4 mg/m³ respirable dust

Ireland

30 mg/m³ total inhalable dust

12 mg/m³ respirable dust

Italy

TWA: 1MGM3;Respirable.

Latvia

TWA: 6 mg/m³ disintegration aerosol

Lithuania

TWA: 5 mg/m³ Al inhalable fraction

2 mg/m³ Al respirable fraction

Netherlands

MAC TWA: 10 mg/m³

Norway

TWA: 10 mg/m³

Norway

STEL: 10 mg/m³

Poland

TWA: 2.5 mg/m³ inhalable fraction

1.2 mg/m³ respirable fraction

Portugal

TWA: 10 mg/m³ particulate matter containing no Asbestos and <1% Crystalline silica

Romania

TWA: 2 mg/m³ aerosol

3 mg/m³

1 mg/m³

Romania

STEL: 5 mg/m³ aerosol

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026
 Print Date 22/May/2026

Revision Number 1.3.1
 Page 6 of 13

Slovakia	10 mg/m ³ dust 3 mg/m ³ fume TWA: 1.5 mg/m ³ fume 1.5 mg/m ³
Spain	0.1 mg/m ³ respirable fraction 6 mg/m ³ total aerosol TWA: 10 mg/m ³
Sweden	TWA: 5 mg/m ³ total dust 2 mg/m ³ respirable dust
Switzerland	TWA: 3 mg/m ³ respirable dust, smoke
Switzerland	STEL: 24 mg/m ³ respirable dust, smoke
United Kingdom	TWA: 10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values None

DNEL (Derived No Effect Level)

Aluminum oxide

Worker - inhalative, long-term - systemic	3 mg/m ³
Consumer - oral, long-term - systemic	1.32 mg/kg bw/d

PNEC (Predicted No Effect Concentration) No information available

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood
 Ensure adequate ventilation, especially in confined areas
 Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
 Use exhaust ventilation to keep airborne concentrations below exposure limits
 In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection Protective gloves.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Recommended filter type: (FFP2). (FFP3).

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 7 of 13

Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Freezing Point	Not applicable
Flash Point	Not applicable Product/Substance is inorganic Solid Melting Point : > 300°C
Flammability	No information available
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	1 hPa (2158 °C)
Relative Vapor Density	Not applicable Melting Point : > 300°C
Density	No data available
Relative Density	4 (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	No information available Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Viscosity	No information available.
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None
Particle Characteristics	No information available
VOC Content (%)	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 8 of 13

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on toxicological effects

Aluminum oxide

LD50s and LC50s	> 5000 mg/kg Oral LD50
Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.

Acute Toxicity Based on available data, the classification criteria are not met.

Chronic Toxicity Based on available data, the classification criteria are not met.

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 9 of 13

Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met.
Skin Sensitization	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust
Ingestion	Ingestion is not a likely route of exposure
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 10 of 13

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Aluminum oxide

Aquatic toxicity

WGK Classification (AwSV)

Not considered to be harmful to aquatic life
1346. WGK: nwg

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Bioconcentration factor (BCF)

No data available.

12.4. Mobility in soil

None.

12.5. Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7. Other Adverse Effects

None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.

Waste codes

Waste codes should be assigned by the user based on the application for which the product was used

Aluminum oxide

WGK Classification (AwSV)

1346. WGK: nwg

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 11 of 13

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

- 14.1. UN number or ID number None
- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture

Substance

Chemical Name	CAS NUMBER:	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	55-1-01518	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 12 of 13

REACH No.

Aluminum oxide

EU REACH registration number 01-2119529248-35-xxxx

Turkish KKDIK pre-registration 05-0000192736-20-0000

Germany

Very low solubility Not considered to be harmful to aquatic life

Aluminum oxide

WGK Classification (AwSV) 1346. WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Prepared by Huber Engineered Materials Global Regulatory Affairs
(Email – HEM.HAMRegulatory@huber.com).

(CLP) Regulation (EC 1272/2008) Not classified.

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements This product is not classified as hazardous according to the UN GHS guideline and labeling is not required

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)
IUCID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 22/May/2026

Print Date 22/May/2026

Revision Number 1.3.1

Page 13 of 13

TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet