

Martinal® OL-104 LE; Martinal® OL-107 LE; Martinal® OL-111 LE

Prepared in accordance with GB/T 16483-2008, GB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013
GHS (Globally Harmonized System)

Issue Date 29/Jul/2022

Print Date 29/Jul/2022

Revision Number 1.3.3

Page 1 of 9

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Martinal® OL-104 LE; Martinal® OL-107 LE; Martinal® OL-111 LE

Pure substance/mixture Substance

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% >99

Recommended Use Additive : Flame retardant

Company: MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Emergency Telephone CHEMTREC: 1 800 424 9300 or International +1 703 527 3887

E-mail hubermaterials@huber.com

Internet www.hubermaterials.com

Section 2: HAZARDS IDENTIFICATION

GHS Classification Not classified

Physical Hazard Not classified

Health Hazard Not classified

Environmental Hazard Not classified

Label Elements

Symbols/Pictograms None

Signal Word None

Precautionary Statements

Prevention None

HUBER

Safety Data Sheet

Martinal® OL-104 LE; Martinal® OL-107 LE; Martinal® OL-111 LE

Issue Date 29/Jul/2022

Print Date 29/Jul/2022

Revision Number 1.3.3

Page 2 of 9

Response None

Spills and Leaks Collect spillage

Storage Store in a dry place

Disposal Dispose in accordance with local, state and national regulations

General Advice None

Additional Information: None.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Substance

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	EU REACH registration number	Weight-%
Aluminum Hydroxide	21645-51-2	Y	Not classified	A	01-2119529246-39	>99

Section 4: FIRST AID MEASURES

General Advice None

Eye Contact Hold eyelids apart and flush eyes with a steady, gentle stream of water for several minutes.

Skin Contact Wash skin with soap and water

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Ingestion Rinse mouth with water. Do not induce vomiting.

Notes to Physician Treat symptomatically

Personal Protective Equipment For First Aid Responders Wear suitable protective clothing
IF exposed or concerned: Get medical advice/attention

Expected acute symptoms and delayed symptoms None known

Section 5: FIRE FIGHTING MEASURES

Issue Date 29/Jul/2022

Print Date 29/Jul/2022

Revision Number 1.3.3

Page 3 of 9

Flammable Properties	None known
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media:	None known
Specific Hazards Arising from the Chemical	None known
Unusual fire & explosion hazards:	None
Protective measures:	Use protective equipment that is appropriate for surrounding materials.
Protective Equipment and Precautions for Firefighters	Wear self-contained breathing apparatus and protective suit

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid dust formation. When exposed to high concentrations of airborne dust, wear a SCBA in accordance with national legislation
Environmental Precautions	This product does not present any particular risk to the environment. Refer to applicable national, state and local regulations prior to washing in drain.
Methods for cleaning up	Pick up mechanically and / or by rinsing with water. Avoid dry sweeping and use a sprinkler system or exhaust ventilation to prevent dust formation.
Other Information:	None known

Section 7: HANDLING AND STORAGE

Handling	Avoid dust formation. Avoid breathing dust. Handle in accordance with good industrial hygiene and safety practice.
Storage	Store in a dry area. Keep containers closed and protect from physical damage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits	Provide adequate ventilation as well as local exhaust at critical locations
------------------------	---

Aluminum Hydroxide

ACGIH

NIOSH

OSHA

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)
TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)
TWA: 15 mg/m³ Total Dust
5 mg/m³ Respirable Dust

Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas
-----------------------------	---

Issue Date 29/Jul/2022

Print Date 29/Jul/2022

Revision Number 1.3.3

Page 4 of 9

Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
 Use exhaust ventilation to keep airborne concentrations below exposure limits
 In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment**Eye/Face Protection**

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Wear suitable protective clothing

Hand Protection

Impervious gloves

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice
 Handle in accordance with good industrial hygiene and safety practice

Environmental Exposure Controls

Dispose of in accordance with local regulations

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties**Appearance:****Physical State**

Solid
 Powder

Color

White

Odor

Odorless

Odor Threshold

No information available

pH:

+/- 9 (10% Water)

Melting point / Freezing point

~ 300 °C / 572 °F (101.3 hPa)

Initial boiling point and boiling range

> 2900 °C / 5252 °F (101.3 hPa)

Flash Point

Not applicable. Product/Substance is inorganic. Solid.

Evaporation Rate

Not applicable

Flammability (solid, gas)

Not flammable

Upper flammability limit:**Lower flammability limit:****Vapor Pressure**

Not applicable

Vapor Density

Not applicable

Relative Density+/- 2.42 g/cm³ (20 °C)**Water Solubility**

Insoluble

Solubility in other solvents

No information available

Partition coefficient

Not applicable Product/Substance is inorganic

Autoignition Temperature**Decomposition Temperature**

200 °C (392 °F)

Dynamic viscosity

Not applicable Solid

Explosive Properties

None

Oxidizing Properties

None

9.2. Other information

No data available

Section 10: STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to avoid:	Decomposes at 200 °C : Al ₂ O ₃ Water
Incompatible materials	Strong acids
Hazardous decomposition products	None under normal processing
Hazardous Reactions	None under normal processing
Hazardous polymerization:	None under normal processing

Section 11: TOXICOLOGICAL INFORMATION

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Product Information**Information on Likely Routes of Exposure**

Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Inhalation	Do not breathe dust
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.
Symptoms	Low hazard for usual industrial or commercial handling

11.1. Information on toxicological effects**Aluminum Hydroxide**

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Issue Date 29/Jul/2022

Print Date 29/Jul/2022

Revision Number 1.3.3

Page 6 of 9

Reproductive Toxicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity Very low solubility. Not considered to be harmful to aquatic life.

Persistence/Degradability: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative Potential Not likely to bioaccumulate.

Partition coefficient Not available

Bioconcentration factor No data available.

(BCF)

Mobility in soil No information available.

Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

Other Adverse Effects No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products Dispose of in accordance with local regulations

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

DOT Not regulated

IATA Not regulated

IMDG/IMO Not regulated

ICAO Not regulated

14.1. UN number None

HUBER

Safety Data Sheet

Martinal® OL-104 LE; Martinal® OL-107 LE; Martinal® OL-111 LE

Issue Date 29/Jul/2022

Print Date 29/Jul/2022

Revision Number 1.3.3

Page 7 of 9

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952924-6-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Section 16: OTHER INFORMATION

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com
Reason for Revision	GB/T 16483-2008 GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013
GHS Classification	Not classified
Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Not classified
Label Elements	
Symbols/Pictograms	None
Signal Word	None
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCIID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail) SARA (Superfund Amendments and Reauthorization Act of 1986) TSCA (Toxic Substances Control Act)

HUBER

Safety Data Sheet

Martinal® OL-104 LE; Martinal® OL-107 LE; Martinal® OL-111 LE

Issue Date 29/Jul/2022

Print Date 29/Jul/2022

Revision Number 1.3.3

Page 9 of 9

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet