ADVANCED MATERIALS

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 **COMMISSION REGULATION (EU) No. 2020/878**

Issue Date 14/Oct/2025 Revision Number 1.7 Print Date 14/Oct/2025

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5;

Pergopak® M6; Pergopak® M7

Chemical Name Polymethyl urea resin with ~15% water content.

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Carrier. Pigment, matting agent, additives for papers, paints, varnishes, etc.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer MARTINSWERK GmbH

> Kölner Strasse 110 50127 Bergheim

Germany

Tel.: +49-2271-90.22.78 Fax.: +49-2271-90.27.17

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

Poison control center phone

number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons

Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified.

Hazards identification

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page
 2 of 13

Physical Hazard Not classified.

Health Hazards Not classified.

Environmental Hazard Not classified.

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Hazard Statements This product is not classified as hazardous according to the UN GHS guideline and

labeling is not required

Precautionary Statements

Prevention Employ good industrial hygiene practice

Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place

Disposal Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Supplemental Information EUH208 - Contains Formaldehyde. May produce an allergic reaction.

2.3. Other hazardsNo information available

SECTION 3: Composition/information on ingredients

3.1. Substance Not applicable

3.2. Mixture Mixture

Chemical Name	CAS NUMBER:	EC No	(CLP) Regulation (EC	Weight-%	
			1272/2008)		
Urea, polymer with formaldehyde	9011-05-6	-	Not classified.	~85	
Water	7732-18-5	231-791-2	Not classified.	15	
Formaldehyde	50-00-0	200-001-8	<0.1% This product is not classified as dangerous. [Acute Tox. 3 (H301); Acute Tox. 3 (H311); Acute Tox. 3 (H331); Skin Corr. 1B (H314); Skin Sens. 1 (H317); Muta. 2 (H341); Carc. 1B (H350)]		

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

Revision Number 1.7 Issue Date 14/Oct/2025 Print Date 14/Oct/2025 Page 3 of 13

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If symptoms persist, call a

physician.

Skin Contact Wash with plenty of soap and water.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing.

Rinse mouth thoroughly with water. Ingestion

Aspiration hazard Based on available data, the classification criteria are not met.

Notes to Physician Treat symptomatically.

4.2. Most important symptoms

and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

4.3. Indication of any immediate Treat symptomatically. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of

contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may produce irritating, corrosive and/or toxic gases. Do not breathe dust/fume/gas/mist/vapors/spray.

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page
 4 of 13

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection

recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use

Do not handle until all safety precautions have been read and understood.

Minimize dust generation and accumulation

Ensure adequate ventilation

Handle in accordance with good industrial hygiene and safety practice

Use personal protective equipment as required

7.2. Conditions for safe storage, Keep container tightly closed and dry **including any incompatibilities**

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

Issue Date 14/Oct/2025 **Revision Number** 1.7 Print Date 14/Oct/2025 Page 5 of 13

Occupational exposure limits

Urea, polymer with formaldehyde

Not established **EU TWA** Not established **ACGIH OSHA** Not established **NIOSH** Not established

Formaldehyde

Austria

Switzerland

ACGIH TLV (TWA): 5ppm

Ceiling: 0.3 ppm TWA: 0.75 ppm

OSHA NIOSH IDLH: 20 ppm

Ceiling: 0.1 ppm 15 min

TWA: 0.016 ppm

Skin: 0.6 mg/m³

STEL: 0.5 ppm

Ceiling: 0.5 ppm 1.0 mg/m³ TWA Bulgaria Bulgaria 2.0 mg/m3 STEL 2.5 mg/m³ TWA Croatia 2.5 mg/m³ STEL Croatia 0.5 mg/m3 TWA **Czech Republic** Czech Republic 1 mg/m3 CEIL **Estonia** TWA: 0.6 mg/m³ TWA: 0.37 mg/m³ **Finland** STEL: 1.2 mg/m³ **Finland**

France 0.6 ppm 0.74 mg/m³

0.3 ppm

Germany 0.37 mg/m³

Greece 2.5 mg/m³ TWA 2.5 mg/m³ STEL Greece 0.6 mg/m³ TWA Hungary 0.6 mg/m3 STEL Hungary 2.5 mg/m3 TWA Ireland Ireland 2.5 mg/m3 STEL 0.37 mg/m³ Italy

0.3 ppm 0.62 mg/m³ 0.5 ppm

TWA: 0.37 mg/kg

TWA: 0.5 mg/m³ Latvia Lithuania TWA: 0.6 mg/m³ 1.5MGM3; 1PPM TWA **Netherlands** Netherlands 3MGM3; 2PPM TWA Norway TWA: 0.6 mg/m³ STEL: 0.6 mg/m³ Norway Poland 0.5 mg/m³ TWA **Poland** 1 mg/m³ STEL Romania TWA: 1.20 mg/m³ Romania STEL: 3 mg/m³ Slovakia TWA: 0.37 mg/m³ TWA: 0.62 mg/m³ Slovenia Spain STEL: 0.37 mg/m³ TWA: 0.37 mg/m³ Sweden

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page
 6 of 13

SwitzerlandSTEL:0.74 mg/m³United KingdomTWA: 2.5 mg/m³United KingdomSTEL: 2.5 mg/m³

Recommended monitoring

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

Biological Limit Values None

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices

Environmental Exposure

Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Powder
Color White
Odor Odorless

pH: 8.0 < / =0.3% Water

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page
 7 of 13

Melting Point / Melting RangeNot applicableMelting point / Freezing pointNot applicableBoiling Point / Boiling RangeNot applicableFreezing PointNot applicableFlash Point> 200 °CFlammabilityNot applicableFlammabilityNon-combustible

Upper flammability limit: --Lower flammability limit: ---

Vapor PressureNot applicableVapor PressureNot applicableRelative Vapor DensityNot applicableDensityNo data availableRelative Densityca 1.47 (20°C)Water Solubilitypractically insolubleSolubility in other solventsNo information available

Partition coefficient No information available Not applicable

Autoignition Temperature No information available

Decomposition Temperature > 200 °C

Viscosity No information available.

Kinematic viscosityNot applicableDynamic viscosityNot applicableExplosive PropertiesNot applicableOxidizing PropertiesNot applicable

Particle Characteristics No information available

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Maximum Pressure - 156.5 psig 10.8 bar Maximum Pressure Rise - 452 bar/s Deflagration Index 123 Kst bar m/s Limiting Oxygen Concentration: 18.5%

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoidDust formation Heat, flames and sparks

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page
 8 of 13

10.5. Incompatible materials None known

10.6. Hazardous decomposition None known

products Avoid temperatures above 200°C

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on toxicological effects

Urea, polymer with formaldehyde

LD50s and LC50s 167 mg/m³ Inhalation LC50 Rat 4 h

 Oral LD50
 8394 mg/kg Rat

 Dermal LD50
 > 2100 mg/kg Rabbit

 Inhalation LC50
 > 167 mg/m³ 4- hour Rat

Formaldehyde

LD50s and LC50s 463 ppm Inhalation LC50 Rat 4 h

ACGIH Group 2A - Probably Carcinogenic to Humans

OSHA Potential cancer hazard

IARC Group 1 - Carcinogenic to Humans

NTP (National Toxicology Known - Known Carcinogen

Program)

Acute Toxicity Based on available data, the classification criteria are not met.

Respiratory Sensitization Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation Based on available data, the classification criteria are not met. Non-irritant

Skin SensitizationBased on available data, the classification criteria are not met. Not a skin sensitizer

Mutagenicity No information available

Reproductive Effects No information available.

Carcinogenicity No known carcinogens are present at greater than 0.1%.

Specific target organ toxicity -

Single exposure

No information available.

Specific target organ toxicity - No information available.

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page
 9 of 13

Repeated exposure

Information on Likely Routes of Exposure

Inhalation Based on available data, the classification criteria are not met.

Dust contact with the eyes can lead to mechanical irritation

Ingestion Ingestion is not a likely route of exposure

Skin Avoid prolonged or repeated contact with skin

Eyes Avoid contact with eyes

Aspiration hazard Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page 10 of 13

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Urea, polymer with formaldehyde

96-Hour LC50 > 1000 mg/l Fish

48-Hour EC50 > 1000 mg/L Daphnia Magna (Water Flea)

WGK Classification (AwSV) 3777 WGK: 1

12.2. Persistence and

degradability

No information available.

12.3. Bioaccumulative potential No information available.

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soilNo information available.

12.5. Results of PBT and vPvB

assessment

No information available.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

12.7. Other Adverse Effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Urea, polymer with formaldehyde

WGK Classification (AwSV) 3777 WGK: 1

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page 11 of 13

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated DOT Not regulated ADR Not regulated ADN Not regulated IATA Not regulated IMDG/IMO Not regulated ICAO Not regulated Not regulated Not regulated ICAO Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Mixture

	CAS NUMBER:	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Urea, polymer with formaldehyde	9011-05-6	1	Y	Υ	Y	(7)-576 (ENCS) (9)-1835 (ISHL)	KE-35175	Z	Z	Y	Y	Υ	A
Water	7732-18-5	231-791-2	Υ	Υ	Y	ENCS	KE-35400	Y	55-1-0602 4	Y	Y	Υ	Α
Formaldehyde	50-00-0	200-001-8	Y	Y	Y	(2)-482 (ENCS) 2-(8)-379 (ISHL)	KE-17074	Y	55-1-0393 4	Y	Y	Y	A

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page 12 of 13

Regulatory informationThe synthetic polymer microparticles supplied is subject to conditions laid down by

entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European

Parliament and of the Council

REACH No.

Urea, polymer with formaldehyde

EU REACH registration number Exempt

Water

EU REACH registration number Exempt

Formaldehyde

EU REACH registration number 01-2119488953-20-xxxx

Germany

Urea, polymer with formaldehyde

WGK Classification (AwSV) 3777 WGK: 1

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Reason for RevisionThis safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

 Issue Date
 14/Oct/2025

 Print Date
 14/Oct/2025

Revision Number 1.7

Prepared by Huber Engineered Materials Global Regulatory Affairs

(Email – HEM.HAMRegulatory@huber.com).

(CLP) Regulation (EC 1272/2008) Not classified.

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements This product is not classified as hazardous according to the UN GHS guideline and

labeling is not required

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

Safety Data Sheet

Pergopak® M; Pergopak® M2; Pergopak® M3; Pergopak® M4; Pergopak® M5; Pergopak® M6; Pergopak® M7

 Issue Date
 14/Oct/2025
 Revision Number
 1.7

 Print Date
 14/Oct/2025
 Page 13 of 13

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

DOT (Department of Transportation)

TDG (Transport of Dangerous Goods) Canada

PNEC (Predicted No Effect Concentration)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet