



Safety Data Sheet

FIRE RETARDANT ADDITIVES

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2015/830

Issue Date: 18/Sep/2020
Print Date: 18/Sep/2020

Revision Number: 1.3.1
Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420
Pure substance/mixture Substance
Formula Al₂O₃

Chemical Name	CAS Number	EC No	REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35-xxxx 01-2119529248-35-0017	Not classified	-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.
Industrial use --
Professional use --
Consumer use --

1.3. Details of the supplier of the safety data sheet

Company: MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

EU Phone: +358 207 913 500 (J.M. Huber Finland Oy)

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 2 of 12

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified

Hazards identification

Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Precautionary Statements

Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information: None.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance

Chemical Name	CAS Number	EC No	REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35 -xxxx 01-2119529248-35 -0017	Not classified	-	-

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice

When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash with plenty of soap and water.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

Rinse mouth thoroughly with water.

Aspiration hazard

Not an expected route of exposure.

Notes to Physician

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 4 of 12

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.**For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.**6.2. Environmental precautions** Avoid runoff to waterways and sewers.**6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container**6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.**SECTION 7: Handling and storage****7.1. Precautions for safe handling**Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice**7.2. Conditions for safe storage, including any incompatibilities** Store away from incompatible materials
Keep container tightly closed and dry**7.3. Specific end use(s)** No information available.**SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

Aluminum oxideACGIH
OSHATWA: 10 mg/m³
TWA: 15 mg/m³ total dust
TWA: 5 mg/m³ respirable fraction
(vacated) TWA: 10 mg/m³ total dust
(vacated) TWA: 5 mg/m³ respirable fraction

NIOSH

Not established

Austria

TWA: 5 mg/m³ respirable fraction, smoke

Austria

STEL: 10 mg/m³ respirable fraction, smoke

Belgium

TWA: 1 mg/m³

Bulgaria

TWA: 1.5MGM3;Respirable fraction.
10.0MGM3;Dust.

Croatia

TWA: 10 mg/m³ total dust
4 mg/m³ respirable dust

Czech Republic

TWA: 10.0 mg/m³ dust

Denmark

TWA: 5 mg/m³ total
2 mg/m³ respirable

Estonia

TWA: 10 mg/m³ total dust
4 mg/m³ respirable dust

Finland

TWA: 2 mg/m³ Al

France

VME/VLE: 10MGM3

Germany

DFG MAK: 8-hr TWA: 4 mg/m³: haltige Stäube (alveolengängige Fraktion)[4 mg/m³ :
inhalable dust fraction]
1.5 mg/m³ haltige Stäube (einatembare Fraktion)[1.5MGM3 : respirable dust fraction]
TRGS 900 limit : 3 mg/m³: respirable; 10MG/M3 inhalable

Greece

TWA: 10 mg/m³ inhalable fraction
5 mg/m³ respirable fraction

Hungary

TWA: 6 mg/m³ respirable dust

Ireland

TWA: 10 mg/m³ total inhalable dust
4 mg/m³ respirable dust

Ireland

30 mg/m³ total inhalable dust
12 mg/m³ respirable dust

Italy

TWA: 1MGM3;Respirable.

Latvia

TWA: 6 mg/m³ disintegration aerosol

Lithuania

TWA: 5 mg/m³ Al inhalable fraction
2 mg/m³ Al respirable fraction

Netherlands

MAC TWA: 10 mg/m³

Norway

TWA: 10 mg/m³

Norway

STEL: 10 mg/m³

Poland

TWA: 2.5 mg/m³ inhalable fraction
1.2 mg/m³ respirable fraction

Portugal

TWA: 10 mg/m³ particulate matter containing no Asbestos and <1% Crystalline silica

Romania

TWA: 2 mg/m³ aerosol
3 mg/m³
1 mg/m³

Romania

STEL: 5 mg/m³ aerosol
10 mg/m³ dust
3 mg/m³ fume

Slovakia

TWA: 1.5 mg/m³ fume
1.5 mg/m³0.1 mg/m³ respirable fraction 6 mg/m³ total aerosol

Spain

TWA: 10 mg/m³

Sweden

TWA: 5 mg/m³ total dust
2 mg/m³ respirable dust

HUBER

Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 6 of 12

Switzerland
Switzerland
United Kingdom

TWA: 3 mg/m³ respirable dust, smoke
STEL: 24 mg/m³ respirable dust, smoke
TWA: 10 mg/m³ inhalable dust
4 mg/m³ respirable dust

Recommended monitoring procedures

Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values:

None

Derived No Effect Level (DNEL)

Aluminum oxide

Worker - inhalative, long-term - systemic	3 mg/m ³
Consumer - oral, long-term - systemic	6.22 mg/kg bw/d

Predicted No Effect Concentration (PNEC)

Aluminum oxide

Sewage treatment plant	20 mg/l
------------------------	---------

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand Protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Hand protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Recommended filter type:
(FFP2)
(FFP3)

Thermal hazards

None known.

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 7 of 12

The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc

Environmental Exposure Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Evaporation Rate	Not applicable. Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	4 (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 8 of 12

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition products None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	May cause respiratory irritation
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled Lungs

Acute Toxicity Based on available data, the classification criteria are not met

Chronic Toxicity Based on available data, the classification criteria are not met.

Chronic Effects Based on available data, the classification criteria are not met.

Respiratory Sensitization Based on available data, the classification criteria are not met

Serious eye damage/eye irritation Based on available data, the classification criteria are not met

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 9 of 12

Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.
<u>Aluminum oxide</u>	
WGK Classification (AwSV)	1346 WGK: nwg
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 10 of 12

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

HUBER

Safety Data Sheet**Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420**

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 11 of 12

Pure substance/mixture **Substance**

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	01-211952 9248-35-x xxx 01-211952 9248-35-0 017	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed**Germany**

Very low solubility Not considered to be harmful to aquatic life

Aluminum oxide**WGK Classification (AwSV)** 1346 WGK: nwg**15.2. Chemical safety assessment**

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information**Reason for Revision**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2015/830

Issue Date:

18/Sep/2020

Print Date:

18/Sep/2020

Revision Number:

1.3.1

Prepared byHuber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.**(CLP) Regulation (EC 1272/2008)** Not classified**Labeling****Symbols/Pictograms**

None

Signal Word

None

Hazard Statements

This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronymsInternational Agency for Research on Cancer (IARC)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
International Uniform Chemical Information Database (IUCLID)

HUBER

Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020

Print Date: 18/Sep/2020

Revision Number: 1.3.1

Page 12 of 12

Workplace Hazardous Materials Information System (WHMIS) status and classification
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA - Time-Weighted Average
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
PPE - Personal Protection Equipment
NIOSH - National Institute for Occupational Safety and Health
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet