ADVANCED MATERIALS

Safety Data Sheet

Safire® 400

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
GHS (Globally Harmonized System)

Issue Date 21/Feb/2024 Revision Number 1.7.2

Print Date 12/Mar/2025 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Safire® 400

Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Smoke suppressant. Flame retardant. No consumer use allowed.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International 1+703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status Hazardous to the aquatic environment - Chronic, category 2

Physical Hazards Not classified.

Health Hazards Not classified.

Environmental Hazard Hazardous to the aquatic environment - Chronic, category 2

2.2. Label elements

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2
Print Date 12/Mar/2025 Page 2 of 11

Symbols/Pictograms



Signal Word None

Hazard Statements Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention Employ good industrial hygiene practice

Do not handle until all safety precautions have been read and understood

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

For operations where exposure to dust may occur, wear a NIOSH N95 respirator

Response IF ON SKIN: Wash with plenty of soap and water

Get medical advice/attention if you feel unwell

Storage Store away from incompatible materials

Disposal Dispose of contents/containers in accordance with local regulations

Additional Information: According to the U.S. Environmental Protection Agency this substance presents a

concern for hazard to the aquatic environment and reproductive toxicity.

Hazards not otherwise classified Do not allow into any sewer, on the ground or into any body of water.

(HNOC)

Other According to the U.S. Environmental Protection Agency this substance presents a

concern for hazard to the aquatic environment and reproductive toxicity.

SECTION 3: Composition/information on ingredients

Pure substance/mixture Substance

Chemical Name	CAS Number	Weight-%		
Melamine poly(zinc phosphate)	1271172-98-5	95.0 -100.0		

SECTION 4: First aid measures

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2 Print Date 12/Mar/2025

Page 3 of 11

4.1. Description of first aid measures

Ensure that medical personnel are aware of the material(s) involved and take **General Advice**

precautions to protect themselves.

In case of eye contact, remove contact lens and rinse immediately with plenty of **Eye Contact**

water, also under the eyelids, for at least 15 minutes.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Remove contaminated clothing

and shoes.

Ingestion Rinse mouth thoroughly with water. If conscious, drink plenty of water.

Inhalation Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

Not applicable. Solid. **Aspiration hazard**

4.2. Most important symptoms

and effects, both acute and

delayed

May cause skin, eye, and respiratory tract irritation.

4.3. Indication of any immediate Treatment should be symptomatic and supportive.

medical attention and special

treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2 Print Date 12/Mar/2025

Page 4 of 11

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8.

Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation. Provide local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. See section 8 for more information.

7.2. Conditions for safe storage, Store away from incompatible materials. Keep container tightly closed and dry. including any incompatibilities

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

PNEC (Predicted No Effect

No information available

Concentration)

DNEL (Derived No Effect Level) No data available

Safety Data Sheet

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2 Print Date 12/Mar/2025

Page 5 of 11

Biological Limit Values No information available

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas. Provide a good standard

of controlled ventilation (10 to 15 air changes per hour).

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices. The worker should wash daily at the end of each work shift, and prior to

eating, drinking, smoking, etc.

Environmental Exposure

Controls

Dispose of in accordance with local regulations. Do not empty into drains or water

courses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Solid Powder **Physical State** Color White to light yellow

Odor None

Odor Threshold No information available

5.0 - 5.5, < / = 0.3% suspension - Water :Ha

Melting point / Freezing point > 650 °C

Initial boiling point and boiling Not applicable Solid

range

Freezing Point Not applicable **Flash Point** Not applicable Solid **Evaporation Rate** Not applicable. Solid.

Not readily flammable ---- Solid - (EU A10) Flammability (solid, gas)

Upper flammability limit: Lower flammability limit:

No data available **Vapor Pressure Vapor Density** Not applicable Solid **Density** No data available **Bulk Density** 0.51 + - 0.3 g/ml

2.4 +/- 0.3 g/cm3 (20 °C) **Relative Density**

Water Solubility 0.1 to 100 mg/L Slightly soluble

Solubility in other solvents No data available

Partition coefficient No information available (25 °C)

Autoignition Temperature > 1000 °C

Safety Data Sheet

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2

Print Date 12/Mar/2025 Page 6 of 11

Decomposition Temperature >325 °C

Viscosity Not applicable. Solid.

Kinematic viscosity Not applicable

Explosive Properties Not Explosible based on 1 m3 Chamber, ASTM E1226

Oxidizing Properties Not oxidizing

Particle Size D50 = 2.5 - 4.0 microns (80% below 10 microns)

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoid Incompatible materials Strong oxidizing agents alkali

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on toxicological effects

Respiratory Sensitization Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Skin Corrosion/IrritationBased on available data, the classification criteria are not met.

Safety Data Sheet

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2 Print Date 12/Mar/2025

Page 7 of 11

Skin Sensitization Based on available data, the classification criteria are not met.

Mutagenicity Based on available data, the classification criteria are not met.

Reproductive Toxicity According to the U.S. Environmental Protection Agency this substance presents a

concern for hazard to the aquatic environment and reproductive toxicity.

Carcinogenicity Based on available data, the classification criteria are not met.

According to the U.S. Environmental Protection Agency this substance presents a Other

concern for hazard to the aquatic environment and reproductive toxicity.

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Ingestion Ingestion is not a likely route of exposure

Skin Avoid prolonged or repeated contact with skin

Eyes Avoid contact with eyes

Dust contact with the eyes can lead to mechanical irritation

Aspiration hazard Not applicable. Solid.

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects

Melamine poly(zinc phosphate)

WGK Classification (AwSV) WGK not established

12.2. Persistence and

degradability

Not readily biodegradable. (OECD 301 B).

12.3. Bioaccumulative potential

Bioconcentration factor

(BCF)

No data available.

Safety Data Sheet

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2

Print Date 12/Mar/2025 Page 8 of 11

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal MethodsDisposal should be in accordance with applicable regional, national and local laws

and regulations. Send to a licensed recycler, reclaimer or incinerator. Avoid release to the environment. Do not allow to enter into surface water or drains.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling

or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Melamine poly(zinc phosphate)

WGK Classification (AwSV) WGK not established

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated

DOT UN3077, Environmentally hazardous substance, solid, n.o.s. (Melaminepoly(zinc

phosphate)), 9, PG III, Marine Pollutant, Not regulated in non-bulk packages (<119

gal)

ADR UN3077, Environmentally hazardous substance, solid, n.o.s. (Melaminepoly(zinc

phosphate)), 9, PG III, Marine Pollutant

IATA UN3077, Environmentally hazardous substance, solid, n.o.s. (Melaminepoly(zinc

phosphate)), 9, PG III, Marine Pollutant

IMDG/IMO UN3077, Environmentally hazardous substance, solid, n.o.s. (Melaminepoly(zinc

phosphate)), 9, PG III, Marine Pollutant

ICAO UN3077, Environmentally hazardous substance, solid, n.o.s. (Melaminepoly(zinc

phosphate)), 9, PG III, Marine Pollutant

14.1. UN number UN3077

Safire® 400

Issue Date 21/Feb/2024 **Revision Number** 1.7.2 Print Date 12/Mar/2025

Page 9 of 11

14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (Melaminepoly(zinc

phosphate))

14.3. Transport hazard class(es) 9

14.4. Packing group

14.5. Environmental hazards Toxic to aquatic life with long lasting effects

14.6. Special precautions for Do not handle until all safety precautions have been read and understood.

user

14.7. Maritime transport in bulk according to IMO instruments



Marine Pollutant



SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	-	Philippine s (PICCS)	Taiwan	TSCA: United States
Melamine	1271172-9	690-512-6	01-212011	Υ	N	新常登	N	N	N	N	N	N	PMN

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2
Print Date 12/Mar/2025 Page 10 of 11

poly(zinc phosphate)	8-5	6104-75-x xxx	C-21104		P-16-0484
		04-212086 2008-56-0 000 (PPORD)			

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

US Federal Regulations

EPA

TSCA - Significant New Use Rule (SNUR)

EPA has issued a Significant New Use Rule (SNUR) for Safire 400 at 40 C.F.R. §721.11190. The significant new uses are: (1) use other than as a flame-retardant additive in plastics; (2) release of a processing or use stream associated with any use of Safire 400 exceeding a surface water concentration of 34 ppb; and (3) processing or use of Safire 400 without employing the following engineering controls to limit exposure to dust: ventilation and negative-pressure systems with local exhaust (e.g., elephant trunks), and baghouse filtration, and enclosed unloading and transfer systems. Also, although not explicitly specified in the SNUR, we remind you that the product SDS recommends the use of an NIOSH-approved N95 dust respirator for workers potentially exposed to dusts containing Safire 400. You must also maintain records documenting compliance with the use limitations, i.e. use as a flame-retardant additive in plastics, and the use of the engineering controls described above to limit exposure to dust; records documenting establishment and implementation of procedures that ensure compliance with the 34 ppb water discharge limitation, records documenting volumes of Safire 400 you purchased in the United States, the names and addresses of suppliers, and the corresponding dates of purchase, and records documenting the names and addresses (including shipment destination address, if different) of all persons to whom you directly sell or transfer Safire 400, the date of each sale or transfer, and the quantity of Safire 400 sold or transferred on such date. Finally, if you export or intend to export Safire 400 on or after May 6, 2019 you are subject to the export notification provisions of TSCA section 12(b) (15 U.S.C. 2611(b)) (see § 721.20), and must comply with the export notification requirements in 40 CFR part 707, subpart D.

CWA (Clean Water Act)

Not listed

CAA (Clean Air Act)

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania	
Melamine poly(zinc phosphate)	1271172-98-5	No	No	No	No	No	

Y: Listed ; N: Not Listed

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations

Safety Data Sheet

Safire® 400

Issue Date 21/Feb/2024 Revision Number 1.7.2
Print Date 12/Mar/2025 Page 11 of 11

(HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by Huber Engineered Materials (HEM) Global Regulatory Affairs

regulatory.affairs@huber.com

 Issue Date
 21/Feb/2024

 Print Date
 12/Mar/2025

Revision Number 1.7.2

Reason for Version OSHA (Occupational Safety and Health Administration of the US Department of

Labor).

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

SARA (Superfund Amendments and Reauthorization Act of 1986)

TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet