



Safety Data Sheet

FIRE RETARDANT ADDITIVES

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
Globally Harmonized System (GHS)

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Thermally conductive filler.

Industrial use --

Professional use --

Consumer use --

1.3. Details of the supplier of the safety data sheet

Company: MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status This material is not considered hazardous by the OSHA Hazard Communication

Safety Data Sheet**Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250****Issue Date:** 19/Sep/2019**Print Date:** 19/Sep/2019**Revision Number:** 1.3**Page** 2 of 12

Standard (29 CFR 1910.1200)

Physical Hazards Not classified**Health Hazards** Not classified**Environmental Hazard** Not classified**2.2. Label elements****Symbols/Pictograms** None**Signal Word** None**Hazard Statements** None**Hazard Statements** None**Precautionary Statements**

Prevention

Employ good industrial hygiene practice
Do not handle until all safety precautions have been read and understood.
Wash thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dust

Response

IF ON SKIN: Wash with plenty of soap and water
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
If swallowed, rinse mouth with water (only if the person is conscious)
Drink plenty of water

Storage Store away from incompatible materials

Disposal Dispose of contents/containers in accordance with local regulations

Additional Information: None.

Hazards not otherwise classified (HNOC) Not classified.

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum oxide	1344-28-1	A	Y	Y	01-211952924 8-35-xxxx 01-211952924 8-35-0017	Not classified	--	>99

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures**4.1. Description of first aid measures****General Advice**

When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin Contact

Wash with plenty of soap and water.

Ingestion

Rinse mouth thoroughly with water.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Aspiration hazard

Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

May cause irritation to mucous membranes and respiratory tract. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 4 of 12

MediaWater spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).**Unsuitable Extinguishing Media**

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.**For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.**6.2. Environmental precautions** Avoid runoff to waterways and sewers.**6.3. Methods and material for containment and cleaning up** Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal**6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Minimize dust generation and accumulation. Provide local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities Store away from incompatible materials. Keep container tightly closed and dry.**7.3. Specific end use(s)** No information available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****Aluminum oxide**

OSHA

TWA: 15 mg/m³ total dust
TWA: 5 mg/m³ respirable fraction
(vacated) TWA: 10 mg/m³ total dust
(vacated) TWA: 5 mg/m³ respirable fraction
TWA: 10 mg/m³

ACGIH

ACGIH TLV

NIOSH

Mexico

TWA: 1 mg/m³ respirable fraction

Not established

TWA 10 mg/m³**Biological Limit Values:** None**Derived No Effect Level (DNEL)****Aluminum oxide - 1344-28-1**

Worker - inhalative, long-term - systemic	3 mg/m ³
Consumer - oral, long-term - systemic	6.22 mg/kg bw/d

**Predicted No Effect
Concentration (PNEC)****Aluminum oxide - 1344-28-1**

Sewage treatment plant	20 mg/l
------------------------	---------

8.2. Exposure controls**Engineering Measures**

Provide a good standard of controlled ventilation (5 to 10 air changes per hour).
Use exhaust ventilation to keep airborne concentrations below exposure limits. In
case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment**Eye/Face Protection**

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand protection

For operations where prolonged or repeated skin contact may occur, impervious
gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

None known.

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 6 of 12

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

Environmental Exposure Controls

Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance:**

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.8 11% Water
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Evaporation Rate	Not applicable. Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	0.85
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

SECTION 10: Stability and reactivity**10.1. Reactivity**

No data available

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None under normal processing

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 7 of 12

10.4. Conditions to avoid Incompatible materials
Decomposition Temperature ~ 2000 °C (> 2050°C)
< / =0.3% : Al₂O₃ , Water

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition products None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation Do not breathe dust

Skin Avoid prolonged or repeated contact with skin
Contact with dust can cause mechanical irritation or drying of the skin

Eyes Avoid contact with eyes
Dust contact with the eyes can lead to mechanical irritation

Ingestion Ingestion is not a likely route of exposure

Aspiration hazard Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye irritation Non-irritant : Rabbit

Skin Corrosion/Irritation Non-irritant : Rabbit

Mutagenicity in vitro in vivo Based on available data, the classification criteria are not met

Reproductive Effects No indication of effects on fertility.
No indication of effects on developmental toxicity.

Target Organ Effects Lungs

Specific target organ toxicity - Single exposure No information available

Specific target organ toxicity - Repeated exposure Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m³
Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw

Acute Toxicity Based on available data, the classification criteria are not met

Chronic Toxicity Based on available data, the classification criteria are not met.

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 8 of 12

Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Not classified.
Specific target organ toxicity - Repeated exposure	Not classified.

SECTION 12: Ecological information

12.1. Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.
<u>Aluminum oxide</u>	
WGK Classification (AwSV)	1346 WGK: nwg
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Aluminum oxide**WGK Classification (AwSV)** 1346 WGK: nwg**SECTION 14: Transport information****Mode of Transportation (Road, Water, Air, Rail)**

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None**14.2. UN proper shipping name** None**14.3. Transport hazard class(es)** None**14.4. Packing group** None**14.5. Environmental hazards** No**14.6. Special precautions for user** Not applicable**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
Not applicable

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 10 of 12

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture

Mixture

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	01-211952 9248-35-x xxx 01-211952 9248-35-0 017	Y	Y	Y	(1)-23 (ENCS)(ISHL)	KE-01012	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

US Federal Regulations

EPA

CERCLA

Aluminum oxide

SARA 313

1.0

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemicals which is subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Aluminum oxide

Acute Health Hazard	Yes [based on aluminum generics]
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

Not listed

CAA (Clean Air Act)

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	California CPR	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum oxide	1344-28-1	-	--	Listed	Listed	Listed	Listed

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 11 of 12

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date:	19/Sep/2019
Print Date:	19/Sep/2019
Revision Number:	1.3
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 12 of 12

End of Safety Data Sheet