



### MineBrite<sup>™</sup> Q100

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 GHS (Globally Harmonized System)

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

number

Product Name: MineBrite<sup>™</sup> Q100

Pure substance/mixture Substance

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

- Recommended Use Filler Functional additive
- Uses advised against None known.

#### 1.3. Details of the supplier of the safety data sheet

Company:	Huber Carbonates, LLC 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA
	Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

OSHA Regulatory Status	Carcinogenicity category 1A
GHS Classification	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 1
Physical Hazards	Not classified

## Safety Data Sheet

## MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024	Revision Number 1.3.1 Page 2 of 12
Health Hazards	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 1 Respiratory system
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	
Signal Word	Danger
Hazard Statements	H350 - May cause cancer H372 - Causes damage to organs through prolonged or repeated exposure
Precautionary Statements	
Prevention	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Do not breathe dust Wash hands thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection
Response	Get medical advice/attention if you feel unwell
Storage	Store locked up
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	Not applicable.
Hazarda not otherwise alassifie	d None known

Hazards not otherwise classified None known. (HNOC)

MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 3 of 12

## **SECTION 3: Composition/information on ingredients**

Pure substance/mixture

Substance	

Chemical Name	CAS Number	Weight-%
Limestone	1317-65-3	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	0.2 - 2

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	• IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

## Safety Data Sheet

### MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 4 of 12

## **5.2. Special hazards arising from the substance or mixture** Do not breathe dust.

### 5.3. Advice for firefighters

### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe	Avoid exposure - obtain special instructions before use. Ensure adequate
handling	ventilation. Do not breathe dust. Use personal protective equipment as required.
	Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage,** Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities** 

## **SECTION 8: Exposure controls/personal protection**

## Safety Data Sheet

### MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 5 of 12

#### 8.1. Control parameters

#### **Occupational exposure limits**

#### Limestone OSHA 5 mg/m<sup>3</sup> TWA (respirable fraction) 15 mg/m<sup>3</sup> TWA (total dust) **OSHA - Final PELs -TWA** 15 mg/m<sup>3</sup> TWA ACGIH 10 mg/m<sup>3</sup> Total Dust, 3 mg/m<sup>3</sup> Respirable Dust Canada 10 ma/m<sup>3</sup> Canada - British Columbia - OEL-20 mg/m<sup>3</sup> STELs Crystalline Silica, quartz (impurity) OSHA TWA: 0.05 mg/m<sup>3</sup> OSHA Action level: 0.025 mg/m<sup>3</sup> ACGIH TWA: 0.025 mg/m<sup>3</sup> respirable fraction Canada 0.025 mg/m<sup>3</sup> TWA (respirable particulate) Canada - British Columbia - OEL -ACGIH Category A2 - Suspected Human Carcinogen IARC Category 1 - Human Carcinogen Designated Substances Canada - Ontario - OEL - TWA EVs 0.10 mg/m<sup>3</sup> Canada - Manitoba - OEL - TWA 0.025 mg/m<sup>3</sup> TWA (respirable fraction) Canada - Nova Scotia - OEL - TWA 0.025 mg/m<sup>3</sup> TWA (respirable fraction) Canada - Prince Edward Island - OEL - 0.025 mg/m<sup>3</sup> TWA (respirable fraction) TWA Mexican Carcinogen Category: A2 (Suspected Human Carcinogen) Mexico TWA (VLE-PPT): 0.025 mg/m3. **PNEC (Predicted No Effect** No information available **Concentration**) DNEL (Derived No Effect Level) No information available **Biological Limit Values** No information available 8.2. Exposure controls Provide a good standard of controlled ventilation (10 to 15 air changes per hour). **Engineering Measures** Personal protective equipment **Eye/Face Protection** Wear safety glasses with side shields (or goggles). **Skin and Body Protection** Wear suitable protective clothing. Hand Protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. **Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Thermal hazards None known. Wear suitable protective clothing. Follow general hygiene considerations recognized as common good workplace **Hygiene Measures** practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

**Environmental Exposure** Dispose of in accordance with local regulations.

Controls

## Safety Data Sheet

MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 6 of 12

## **SECTION 9: Physical and chemical properties**

Appearance:	
Physical State	Solid
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4-10.2 (5% water suspension)
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	2.7 g/cm3 @ 20°C
Water Solubility	0.01 g/l (Practically insoluble) @ 20°C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	1292 - 1652 °F (700 - 900 °C)
Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.1. Information on basic physical and chemical properties

9.2. Other information

**9.2.1. Information with regard to physical hazard classes** Not applicable

**9.2.2. Other safety characteristics** Not applicable

## **SECTION 10: Stability and reactivity**

- 10.1. Reactivity None
- 10.2. Chemical stability Stable
- 10.3. Possibility of hazardous No specific hazard known

## Safety Data Sheet

## MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 7 of 12

reactions

10.4. Conditions to avoid Incompatible materials

**10.5. Incompatible materials** Strong acids

**10.6. Hazardous decomposition** None known products

## **SECTION 11: Toxicological information**

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
11.1. Information on toxicologic	cal effects
Limestone Oral LD50	6450 mg/kg Rat
<u>Crystalline Silica, quartz (impur</u> LD50s and LC50s Oral LD50	<u>ity)</u> 500 mg/kg Oral LD50 Rat 500 mg/kg Rat Mouse
ACGIH IARC	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans
Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values
Chronic Toxicity	Potential occupational carcinogen.
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
<b>Respiratory Sensitization</b>	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	Based on available data, the classification criteria are not met.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for

## Safety Data Sheet

### MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024	Revision Number 1.3.1 Page 8 of 12
	Research on Cancer (IARC) as a known human carcinogen (Group 1).
Target Organ Effects	Respiratory system.
Specific target organ toxicity - Single exposure	No information available.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.
Information on Likely Routes of Exposure	
Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.

### 11.2. Information on other hazards

**11.2.1. Endocrine disrupting** This product does not contain any known or suspected endocrine disruptors **properties** 

**11.2.2.** Other information Not applicable

## **SECTION 12: Ecological information**

12.1. Toxicity

Not considered to be harmful to aquatic life

Limestone WGK Classification (AwSV) 317 WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

**12.2. Persistence and** Not readily biodegradable. **degradability** 

12.3. Bioaccumulative potential None.

## Safety Data Sheet

## MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024	Revision Number 1.3.1 Page 9 of 12
Partition coefficient	Not applicable
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
<u>Limestone</u> European Waste Catalog WGK Classification (AwSV) <u>Crystalline Silica, quartz (impur</u> WGK Classification (AwSV)	10130414 317 WGK: nwg <b>ity)</b> 849 WGK: nwg

## **SECTION 14: Transport information**

### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

## Safety Data Sheet

### MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 10 of 12

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

**14.6. Special precautions for** Not applicable **user** 

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable

Substance

## **SECTION 15: Regulatory information**

### **Global Inventories**

### Pure substance/mixture

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Exempt	Y	Y (NDSL)	Y	(1)-122(EN CS)(ISHL)	KE-21996	Y	Y	Y	Y	A
Crystalline Silica, quartz (impurity)	-	238-878-4	Exempt	Ŷ	Ŷ	Ŷ	(1)-548(EN CS)(ISHL)	KE-29983	Ŷ	Ŷ	Ý	Ŷ	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

#### **US Federal Regulations**

<u>EPA</u>

SARA 311/312 Hazardous Categorization Carcinogenicity

CWA (Clean Water Act) Not listed

CAA (Clean Air Act) Not listed

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Limestone	1317-65-3	N	Y	Y	sn 4001	Y
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Y	Y	sn 1660	Y

## Safety Data Sheet

## MineBrite<sup>™</sup> Q100

Issue Date01/May/2024Print Date01/May/2024

Revision Number 1.3.1 Page 11 of 12

Y: Listed ; N: Not Listed

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product can expose you to crystalline silica, which is known to the State of California to cause cancer.

### CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

#### Limestone

H350; H372 Crystalline Silica, quartz (impurity) H350; H372

SECTION 16: Other information					
Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com				
Issue Date Print Date	01/May/2024 01/May/2024				
Revision Number	1.3.1				
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).				
Training Advice	Do not handle until all safety precautions have been read and understood.				
Abbreviations and acronyms	<ul> <li>IARC (International Agency for Research on Cancer)</li> <li>IATA (International Air Transport Association)</li> <li>IMDG (International Maritime Dangerous Goods)</li> <li>IUCLID (International Uniform Chemical Information Database)</li> <li>WHMIS (Workplace Hazardous Materials Information System)</li> <li>DOT (Department of Transportation)</li> <li>OSHA (Occupational Safety and Health Administration of the US Department of Labor)</li> <li>TWA (Time-Weighted Average)</li> <li>CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))</li> <li>PPE (Personal Protection Equipment)</li> <li>NIOSH (National Institute for Occupational Safety and Health)</li> <li>TDG (Transport of Dangerous Goods) Canada</li> <li>CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)</li> <li>RQ (Reportable Quantity) (RQ/% in mixture)</li> <li>STEL (Short Term Exposure Limit)</li> <li>TLV@ (Threshold Limit Value)</li> <li>DNEL (Derived No Effect Level)</li> <li>SVHC (Substances of Very High Concern)</li> <li>BOD (Biochemical oxygen demand)</li> <li>ICAO (International Civil Aviation Organization)</li> <li>IMDG (International Maritime Dangerous Goods)</li> <li>ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>RID (Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <l< td=""></l<></ul>				

## Safety Data Sheet

## MineBrite<sup>™</sup> Q100

Issue Date 01/May/2024 Print Date 01/May/2024 Revision Number 1.3.1 Page 12 of 12

TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### End of Safety Data Sheet