



Martoxid® MR-42/B

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

Issue Date 15/Feb/2023 Print Date 15/Feb/2023 Revision Number 1.3 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:

Martoxid® MR-42/B

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35- xxxx 01-2119529248-35- 0017		>99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.
Industrial use	Production substance Polymer processing Production of plastics and rubber compounds Formulation flame retardant preparation Compounds used in transport industry Compounds used in electrical application Compounds used in electronic application Compounds used in electronic application Compounds used in Wire & Cable Abrasive for glass industry, ceramics and stones Textile coating Production of corrosion inhibitors Fuels Deacidification agent for paper pH Regulating agent Use in coatings, inks, paints and roofing Use as corrosion inhibitor of gas turbines and boilers Use in cleaning agents Use in cleaning agents Use in infield operations Use in lubricants Use in metal working fluids Use in blowing agents Use in blowing agents Use in textile Use in functional fluids Use in functional fluids Use in agrochemicals

Safety Data Sheet Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023

Revision	Num	ber	1.3
	Page	2 of	13

	Use in water treatment chemicals Use in mining chemicals Recycling plastics White pigment for paper and board, filler, etc.
Professional use	Polymer processing Use in Adhesives and/or sealants Use in coatings, inks, paints and roofing Use in agrochemicals Use in agrochemicals Use in cleaning agents Use in cleaning agents Use in lubricants Use in lubricants Use in metal working fluids Use in binders and release agents Use in propellants Use in textile Use in explosives Use in water treatment chemicals Use in functional fluids For use by laboratories for research Fuels De-icing & anti-icing applications Road and construction applications
Consumer use	Use in coatings, inks, paints and roofing Use in cleaning agents Use in lubricants Use in propellants Fuels Use in functional fluids De-icing & anti-icing applications Cosmetic additive Use in water treatment chemicals
Uses advised against	None known.
1.3. Details of the supplier of th	e safety data sheet
Manufacturer	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Internet	www.hubermaterials.com
E-mail	hubermaterials@huber.com
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887
Poison control center phone number	National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023

Disposal

Additional Information:

2.3. Other hazards

Revision Number 1.3 Page 3 of 13

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1. Classification of the substa	nce or mixture
(CLP) Regulation (EC 1272/2008) Not classified
Hazards identification Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Keep in a dry place Store away from incompatible materials

and regulations.

No information available.

None.

SECTION 3: Composition/information on ingredients

Disposal should be in accordance with applicable regional, national and local laws

Safety Data Sheet Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023

Revision Number 1.3 Page 4 of 13

3.1. Substance

Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35	Not classified	-	>99
			-xxxx 01-2119529248-35 -0017			

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special	Treatment should be symptomatic and supportive.

treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023 Revision Number 1.3 Page 5 of 13

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Methods for Containment : Prevent further leakage or spillage if safe to do so Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Minimize dust generation and accumulation Provide local exhaust ventilation Handle in accordance with good industrial hygiene and safety practice
	Store away from incompatible materials Keep container tightly closed and dry
7.3. Specific end use(s)	No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Safety Data Sheet Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023

Revision Number 1.3 Page 6 of 13

Aluminum oxide	
ACGIH	TWA: 10 mg/m ³
OSHA	TWA: 15 mg/m ³ total dust
CONA	TWA: 5 mg/m ³ respirable fraction
	(vacated) TWA: 10 mg/m ³ total dust
	(vacated) TWA: 5 mg/m ³ respirable fraction
NIOSH	Not established
Austria	TWA: 5 mg/m ³ respirable fraction, smoke
Austria	STEL: 10 mg/m ³ respirable fraction, smoke
Belgium	TWA: 1 mg/m ³
Bulgaria	TWA: 1.5MGM3;Respirable fraction.
Daigana	10.0MGM3;Dust.
Croatia	TWA: 10 mg/m ³ total dust
	4 mg/m ³ respirable dust
Czech Republic	TWA: 10.0 mg/m ³ dust
Denmark	TWA: 5 mg/m ³ total
	2 mg/m ³ respirable
Estonia	TWA: 10 mg/m ³ total dust
	4 mg/m ³ respirable dust
Finland	TWĂ: 2 mg/m³ Al
France	VME/VLE: 10MGM3
Germany	DFG MAK: 8-hr TWA: 4 mg/m ³ : haltige Stäube (alveolengängige Fraktion)[4 mg/m ³ :
2	inhalable dust fraction]
	1.5 mg/m ³ haltige Stäube (einatembare Fraktion)[1.5MGM3 : respirable dust fraction]
	TRGS 900 limit : 3 mg/m ³ : respirable; 10MG/M3 inhalable
Greece	TWA: 10 mg/m ³ inhalable fraction
	5 mg/m³ respirable fraction
Hungary	TWĀ: 6 mg/m³ respirable dust
Ireland	TWA: 10 mg/m ³ total inhalable dust
	4 mg/m ³ respirable dust
Ireland	30 mg/m³ total inhalable dust
	12 mg/m ³ respirable dust
Italy	TWA: 1MGM3;Respirable.
Latvia	TWA: 6 mg/m ³ disintegration aerosol
Lithuania	TWA: 5 mg/m ³ Al inhalable fraction
	2 mg/m ³ AI respirable fraction
Netherlands	MAC TWA: 10 mg/m ³
Norway	TWA: 10 mg/m ³
Norway	STEL: 10 mg/m ³
Poland	TWA: 2.5 mg/m ³ inhalable fraction
	1.2 mg/m ³ respirable fraction
Portugal	TWA: 10 mg/m ³ particulate matter containing no Asbestos and <1% Crystalline silica
Romania	TWA: 2 mg/m ³ aerosol
	3 mg/m ³
_ .	1 mg/m ³
Romania	STEL: 5 mg/m ³ aerosol
	10 mg/m ³ dust
	3 mg/m ³ fume
Slovakia	TWA: 1.5 mg/m ³ fume
	1.5 mg/m ³
Orania	0.1 mg/m ³ respirable fraction 6 mg/m ³ total aerosol
Spain Sweden	TWA: 10 mg/m ³
Sweden	TWA: 5 mg/m ³ total dust
Quittorland	2 mg/m ³ respirable dust
Switzerland	TWA: 3 mg/m ³ respirable dust, smoke
Switzerland	STEL: 24 mg/m ³ respirable dust, smoke
United Kingdom	TWA: 10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust
	+ mymi- respirable dust

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023	Revision Number 1.3 Page 7 of 13
Recommended monitoring procedures	Refer also to national guidance documents for information on currently recommended monitoring procedures
Biological Limit Values	None
DNEL (Derived No Effect Level)

Aluminum oxide

Worker - inhalative,	3 mg/m³	
long-term - systemic		
Consumer - oral, Ion	erm - 6.22 mg/kg bw/d	
systemic		

PNEC (Predicted No Effect Concentration)

Aluminum oxide

Aluminum oxide	
Sewage treatment plant	20 mg/l
8.2. Exposure controls	
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Recommended filter type: (FFP2) (FFP3)
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023 Revision Number 1.3 Page 8 of 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance: Solid Powder **Physical State** Color White Odor Odorless **Odor Threshold** No information available pH: Not available 2000 °C (3632 °F) (1013 hPa) Melting point / Freezing point Initial boiling point and boiling 2980 °C (5396 °F) (1013 hPa) range **Freezing Point** Not applicable Flash Point Not applicable Product/Substance is inorganic Solid Not applicable. Melting Point : > 300°C **Evaporation Rate** No information available Flammability (solid, gas) Upper flammability limit: Lower flammability limit: ---1 hPa (2158 °C) Vapor Pressure Vapor Density Not applicable Melting Point : > 300°C No data available Density **Relative Density** 4 (20 °C) Water Solubility Insoluble Solubility in other solvents No information available **Partition coefficient** No information available Not applicable Product/Substance is inorganic Autoignition Temperature Aluminum oxide has no potential to explode. ~2000 °C (> 2050 °C) **Decomposition Temperature** No information available. Viscosity Kinematic viscosity Not applicable Solid Not applicable Solid Dynamic viscosity None **Explosive Properties Oxidizing Properties** None No information available **Particle Size** VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under normal conditions

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023		Revision Number 1.3 Page 9 of 13
10.3. Possibility of hazardous reactions	None under normal processing	
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water	
10.5. Incompatible materials	Strong acids	
10.6. Hazardous decomposition products	None known	

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.					
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008						
- Single exposure	Non-irritant : Rabbit Non-irritant : Rabbit Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity. Lungs May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure if inhaled Lungs					
Acute Toxicity	Based on available data, the classification criteria are not met					
Chronic Toxicity	Based on available data, the classification criteria are not met.					
Chronic Effects	Based on available data, the classification criteria are not met.					
Respiratory Sensitization	Based on available data, the classification criteria are not met					
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met					
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met					
Skin Sensitization	Based on available data, the classification criteria are not met					
Mutagenicity	Based on available data, the classification criteria are not met					
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.					

Safety Data Sheet Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023	Revision Number 1.3 Page 10 of 13
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.
Information on Likely Routes of	Exposure
Inhalation	Do not breathe dust
Ingestion	Ingestion is not a likely route of exposure
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
11.2. Information on other hazar	ds
11.2.1. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable
SEC	TION 12: Ecological information

12.1. Toxicity	Not considered to be harmful to aquatic life
<u>Aluminum oxide</u> WGK Classification (AwSV)	1346 WGK: nwg
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	None.

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023	Revision Number 1.3 Page 11 of 13
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
<u>Aluminum oxide</u> WGK Classification (AwSV)	1346 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

- 14.1. UN number or ID number None
- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023 Revision Number 1.3 Page 12 of 13

14.5. Environmental hazards No

14.6. Special precautions for Not applicable user

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)		TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	55-1-0151 7	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Aluminum oxide

 EU REACH registration number
 01-2119529248-35-xxxx

 01-2119529248-35-0017
 01-2119529248-35-0017

 Turkish KKDIK pre-registration
 05-0000192736-20-0000

<u>Germany</u>

Very low solubility Not considered to be harmful to aquatic life

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision	This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878
Issue Date Print Date Revision Number	15/Feb/2023 15/Feb/2023 1.3
Prepared by	Huber Engineered Materials Global Regulatory Affairs

Safety Data Sheet

Martoxid® MR-42/B

Issue Date 15/Feb/2023 Print Date 15/Feb/2023 Revision Number 1.3 Page 13 of 13

email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified Labeling Symbols/Pictograms None Signal Word None This product is not classified as hazardous according to the UN GHS guideline **Hazard Statements** and labeling is not required. This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). Do not handle until all safety precautions have been read and understood. **Training Advice** Abbreviations and acronyms IARC (International Agency for Research on Cancer) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) DOT (Department of Transportation) TDG (Transport of Dangerous Goods) Canada PNEC (Predicted No Effect Concentration) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) TSCA (Toxic Substances Control Act) The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet